



US00D600446S

(12) **United States Design Patent**
Bonatz

(10) **Patent No.:** **US D600,446 S**

(45) **Date of Patent:** **** Sep. 22, 2009**

(54) **FOOT LOCKER**

(76) **Inventor:** **Richard Bonatz**, 2150 Northmont Pkwy., Suite A, Duluth, GA (US) 30096

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/323,368**

(22) **Filed:** **Aug. 25, 2008**

(51) **LOC (9) Cl.** **03-01**

(52) **U.S. Cl.** **D3/299; D3/301**

(58) **Field of Classification Search** D3/272-274, D3/276, 289-290, 299, 301, 233; D6/384, D6/396-397, 432, 440; 5/308; 190/19, 21
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D278,098 S *	3/1985	Velkas	D3/319
4,969,751 A *	11/1990	Diamond et al.	383/127
D411,918 S *	7/1999	Neuman	D3/289
D442,366 S *	5/2001	Nally	D3/254
D459,878 S *	7/2002	Nally	D3/254
D461,635 S *	8/2002	Sharples	D3/279
D465,649 S *	11/2002	Sharples	D3/279
D474,018 S *	5/2003	Nally	D3/254
D474,019 S *	5/2003	Nally	D3/254
D525,790 S *	8/2006	Heroux	D3/301

* cited by examiner

Primary Examiner—Philip S Hyder

Assistant Examiner—Roselyne Cody

(74) *Attorney, Agent, or Firm*—Lackenbach Siegel, LLP

(57) **CLAIM**

The ornamental design for a foot locker, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of the foot locker in the folded position;

FIG. 2 is a top plan view of the foot locker in the folded position;

FIG. 3 is a left side elevational view of the foot locker in the folded position;

FIG. 4 is a right side elevational view of the foot locker in the folded position;

FIG. 5 is a rear elevational end view of the foot locker in the folded position;

FIG. 6 is a bottom view of the foot locker in the folded position;

FIG. 7 is a perspective view of the foot locker in the unfolded position;

FIG. 8 is a top perspective view of the foot locker in the unfolded position;

FIG. 9 is a front perspective view of the foot locker in the unfolded position;

FIG. 10 is a left perspective view of the foot locker in the unfolded position;

FIG. 11 is a right perspective view of the foot locker in the unfolded position;

FIG. 12 is a rear perspective view of the foot locker in the unfolded position; and,

FIG. 13 is a bottom perspective view of the foot locker in the unfolded position.

The broken lines in the figures represent stitching which forms part of the claimed design.

1 Claim, 7 Drawing Sheets






FIG. 1






FIG. 2




FIG. 4




FIG. 3




FIG. 6

FIG.5





FIG. 7






FIG. 8




FIG. 9




FIG.10




FIG.11




FIG. 12




FIG. 13