



US00D600521S

(12) **United States Design Patent**
Butler

(10) **Patent No.:** **US D600,521 S**

(45) **Date of Patent:** **** Sep. 22, 2009**

(54) **DRIVELINE SOCKET**

(74) *Attorney, Agent, or Firm*—J. Bennett Mullinax, LLC

(75) Inventor: **Sam Butler**, Travelers Rest, SC (US)

(57) **CLAIM**

(73) Assignee: **Sunex International, Inc.**, Travelers Rest, SC (US)

The ornamental design for a driveline socket, as shown and described.

(**) Term: **14 Years**

DESCRIPTION

(21) Appl. No.: **29/333,391**

FIG. 1 is a front perspective view of the driveline socket according to a first embodiment of the present design;

(22) Filed: **Mar. 9, 2009**

FIG. 2 is a bottom plan view of the driveline socket as shown in FIG. 1;

(51) **LOC (9) Cl.** **08-05**

FIG. 3 is a top plan view of the driveline socket as shown in FIG. 1;

(52) **U.S. Cl.** **D8/29**

FIG. 4 is a rear elevation view of the driveline socket as shown in FIG. 1;

(58) **Field of Classification Search** D8/21,
D8/30; 81/60, 177.1, 177.85, 121.1, 124.3,
81/165–170, 110.1, 176.2, 124.6, 176.1,
81/176.15, 177.2; 16/110.1; D15/144.1;
219/75, 227, 229, 121.16, 121.18

FIG. 5 is a front elevation view of the driveline socket as shown in FIG. 1;

See application file for complete search history.

FIG. 6 is a left side elevation view of the driveline socket as shown in FIG. 1;

(56) **References Cited**

U.S. PATENT DOCUMENTS

FIG. 7 is a right side elevation view of the driveline socket as shown in FIG. 1;

| | | | | | |
|--------------|------|---------|---------------|-------|-------------|
| 551,321 | A * | 12/1895 | Bottiglieri | | 280/137.504 |
| 1,349,553 | A * | 8/1920 | Ayotte | | 81/58.3 |
| 2,697,370 | A * | 12/1954 | Brooks | | 81/58 |
| 3,924,493 | A * | 12/1975 | Penner | | 81/177.85 |
| 4,004,476 | A | 1/1977 | DeVrou | | |
| 4,960,015 | A * | 10/1990 | Mathews | | 81/177.2 |
| D319,562 | S * | 9/1991 | Ballard | | D8/29 |
| D353,756 | S | 12/1994 | Graves | | |
| D397,598 | S | 9/1998 | Falk | | |
| 5,813,296 | A | 9/1998 | Hoff et al. | | |
| 5,950,507 | A * | 9/1999 | Wolfe | | 81/177.2 |
| 6,523,441 | B2 * | 2/2003 | Lee | | 81/177.85 |
| D526,546 | S * | 8/2006 | Jirele et al. | | D8/29 |
| 7,121,951 | B2 * | 10/2006 | Chang | | 464/139 |
| 7,140,277 | B1 * | 11/2006 | Chern | | 81/177.85 |
| 2007/0131065 | A1 * | 6/2007 | Shih | | 81/121.1 |

FIG. 8 is a front perspective view of the driveline socket according to a second embodiment of the present design;

FIG. 9 is a bottom plan view of the driveline socket as shown in FIG. 8;

FIG. 10 is a top plan view of the driveline socket as shown in FIG. 8;

FIG. 11 is a left side elevation view of the driveline socket as shown in FIG. 8;

FIG. 12 is a right side elevation view of the driveline socket as shown in FIG. 8;


FIG. 13 is a front elevation view of the driveline socket as shown in FIG. 8; and,

FIG. 14 is a rear elevation view of the driveline socket as shown in FIG. 8.

* cited by examiner

Primary Examiner—Philip S Hyder
Assistant Examiner—Randall H Gholson

1 Claim, 8 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14