

US00D600635S

(12) **United States Design Patent**
Finnell et al.

(10) **Patent No.:** **US D600,635 S**
(45) **Date of Patent:** **** Sep. 22, 2009**

(54) **TIRE TREAD**

(75) Inventors: **Douglas W. Finnell**, Greenville, SC
(US); **Joseph Nicholas Brown, IV**,
Simpsonville, SC (US); **Olivier Piffard**,
Mauldin, SC (US); **Alan DeFazio**,
Piedmont, SC (US)

(73) Assignee: **Michelin Recherche et Technique S.A.**,
Granges-Paccot (CH)

(**) Term: **14 Years**

(21) Appl. No.: **29/332,710**

(22) Filed: **Feb. 24, 2009**

(51) **LOC (9) Cl.** **12-15**

(52) **U.S. Cl.** **D12/601**

(58) **Field of Classification Search** D12/579–580,
D12/583–603; 152/209.1, 209.8–209.19,
152/209.25–209.28

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D465,763	S	*	11/2002	Umstot et al.		D12/600
D484,093	S	*	12/2003	Masuko		D12/601
D497,592	S	*	10/2004	Lassan et al.		D12/601
D498,460	S	*	11/2004	Himuro		D12/601
D504,392	S	*	4/2005	Kawase		D12/601
D517,978	S	*	3/2006	Robert		D12/600
D527,339	S	*	8/2006	Lassan et al.		D12/600
D528,069	S	*	9/2006	Maxwell et al.		D12/601
D529,435	S	*	10/2006	Dumigan et al.		D12/601
D541,737	S	*	5/2007	Cazin-Bourguignon et al.	. .	D12/ 600

D554,056	S	*	10/2007	Allison et al.		D12/601
D564,440	S		3/2008	Larregain et al.		
D569,334	S	*	5/2008	Maziarka et al.		D12/600
D596,111	S	*	7/2009	Miyazaki		D12/601

OTHER PUBLICATIONS

Tread Design Guide 2007, p. 25, Goodyear Viva 2.
Tread Design Guide 2007, p. 34, Marshal 791 Touring A/S.
www.michelinman.com, Michelin Energy LX4.

* cited by examiner

Primary Examiner—Stacia Cadmus

(74) *Attorney, Agent, or Firm*—Carolyn G. Uldrick; Frank J.
Campigotto; E. Martin Remick

(57) **CLAIM**

The ornamental design for a tire tread, as shown and
described.

DESCRIPTION


FIG. 1 is a perspective view of a tire tread showing our new
design, it being understood that the tread pattern repeats
circumferentially throughout the outer circumference and
shoulder of a tire;

FIG. 2 is a front elevation view thereof; and,

FIG. 3 is a right side elevation view thereof.

In the drawings, the dark stippled surface shading represents
the recessed groove portions of the tire tread having a depth as
best illustrated along the top and bottom edges of FIG. 2. The
broken line disclosure of the tire sidewall and inner bead
depicts environmental subject matter that forms no part of the
claimed design.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3