



US00D600637S

(12) **United States Design Patent**
Fowler

(10) **Patent No.:** **US D600,637 S**

(45) **Date of Patent:** **** Sep. 22, 2009**

(54) **SOLAR POWERED CHARGER**

(57) **CLAIM**

(75) Inventor: **David Fowler**, Portland (GB)

The ornamental design for a solar powered charger, as shown and described.

(73) Assignee: **Better Energy Systems, Ltd.**, Portland, Dorset (GB)

(**) Term: **14 Years**

DESCRIPTION

(21) Appl. No.: **29/283,021**

FIG. 1 is a top plan view of a solar powered charger, showing my new design, in an open configuration;

(22) Filed: **Aug. 3, 2007**

FIG. 2 is a bottom plan view thereof, in an open configuration;

(51) **LOC (9) Cl.** **13-02**

FIG. 3 is a bottom and side perspective view thereof, in an open configuration;

(52) **U.S. Cl.** **D13/102**

FIG. 4 is a bottom and side perspective view similar to FIG. 3, shown in an alternate configuration;

(58) **Field of Classification Search** D13/102,
D13/107, 108, 199; 320/101, 102, 107, 108,
320/114, 115, 120

FIG. 5 is a side elevation view thereof;

See application file for complete search history.

FIG. 6 is another side elevation view thereof;

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,786,851	A *	11/1988	Fuji et al.	320/101
5,522,943	A *	6/1996	Spencer et al.	136/245
D382,535	S *	8/1997	Chiang	D13/103
D391,921	S *	3/1998	Zimmer et al.	D13/102
5,792,279	A *	8/1998	Tsuboi et al.	136/245
D479,191	S *	9/2003	Peress et al.	D13/102
6,650,085	B2 *	11/2003	Lau et al.	320/101
D489,680	S *	5/2004	Stobart	D13/107
D493,769	S *	8/2004	Kessler et al.	D13/102

FIG. 7 is another side elevation view thereof;

FIG. 8 is another side elevation view thereof;

FIG. 9 is a bottom plan view thereof, in a closed configuration;

* cited by examiner

FIG. 10 is a top plan view thereof, in a closed configuration;

Primary Examiner—Prabhakar Deshmukh

Assistant Examiner—Derrick Holland

(74) *Attorney, Agent, or Firm*—Foley & Lardner LLP;
Richard W. Thill

FIG. 11 is a bottom and side perspective view thereof, in a closed configuration;

FIG. 12 is a top and side perspective view thereof, in a closed configuration;

FIG. 13 is a front elevation view thereof;



FIG. 14 is a rear elevation view thereof;

FIG. 15 is a side elevation view thereof; and,

FIG. 16 is another side elevation view thereof.

The name SOLIO®, forming part of the claimed design, is a registered trademark owned by Better Energy Systems, LTD.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16