

US00D600911S

(12) **United States Design Patent**
Orion et al.

(10) **Patent No.:** **US D600,911 S**
(45) **Date of Patent:** **** *Sep. 29, 2009**

(54) **COMBINATION CAMCORDER-WRAP AND WRAP KEEPER**

FOREIGN PATENT DOCUMENTS

FR 2852498 9/2004

(75) Inventors: **Storm Orion**, Pittsburgh, PA (US);
Justin Kuntz, Pittsburgh, PA (US)

(73) Assignee: **Sima Products Corporation**, Oakmont, PA (US)

(*) Notice: This patent is subject to a terminal disclaimer.

(**) Term: **14 Years**

(21) Appl. No.: **29/320,178**

(22) Filed: **Jun. 23, 2008**

(51) **LOC (9) Cl.** **03-01**

(52) **U.S. Cl.** **D3/267; D3/263**

(58) **Field of Classification Search** D3/1,
D3/202, 219, 233, 243, 263, 265, 267, 268,
D3/276, 269; 224/908, 673; 206/316.1,
206/316.2; 248/187.1; 292/DIG. 48
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,473,292 A * 6/1949 Nathan 206/5
2,586,954 A * 2/1952 Juliano 396/423
2,723,745 A * 11/1955 McNeill 206/5
3,704,848 A * 12/1972 Trebes et al. 248/163.1
D237,561 S * 11/1975 Kesner D3/219
4,027,318 A * 5/1977 Knapp 396/419
4,131,147 A * 12/1978 Schrage 206/316.2
4,316,592 A * 2/1982 Jett 248/187.1
4,899,189 A * 2/1990 Frost 396/419
D306,798 S * 3/1990 McVey D3/215
D308,598 S * 6/1990 Burchett D3/265
4,979,709 A * 12/1990 Ishikawa 248/187.1
4,984,682 A * 1/1991 Cummins 206/5
D361,660 S * 8/1995 Booth et al. D3/265
5,445,266 A * 8/1995 Prete et al. 206/320

Primary Examiner—Celia A Murphy

(74) *Attorney, Agent, or Firm*—Buchanan Ingersoll & Rooney PC

(57) **CLAIM**

The ornamental design for a combination camcorder-wrap and wrap keeper, as shown and described.

DESCRIPTION

FIG. 1 is a left side view of our combination camcorder-wrap and wrap keeper in a wrapped position;

FIG. 2 is a right side view of our combination camcorder-wrap and wrap keeper in a wrapped position;

FIG. 3 is a front view of our combination camcorder-wrap and wrap keeper in a wrapped position;

FIG. 4 is a rear view of our combination camcorder-wrap and wrap keeper in a wrapped position;

FIG. 5 is a top view of our combination camcorder-wrap and wrap keeper in a wrapped position;

FIG. 6 is a bottom view of our combination camcorder-wrap and wrap keeper in a wrapped position;


FIG. 7 is an isometric view illustrating the interior of the combination camcorder wrap and wrap keeper in an unwrapped position; and,

FIG. 8 is an isometric view illustrating the exterior of the combination camcorder-wrap and wrap keeper in an unwrapped position.

The broken line showing a portion of a camera along with the broken lines within the wrap keeper component in FIGS. 6 and 8, illustrate the portions of the design that form no part of the claim. The broken lines shown around the periphery of the wrap and around the rectangular shape on the interior of the wrap represent stitching.

(Continued)

1 Claim, 4 Drawing Sheets



U.S. PATENT DOCUMENTS							
D367,758	S	*	3/1996	Pernela		D3/267	
D394,155	S	*	5/1998	Miyahara		D3/267	
6,079,528	A		6/2000	Moor			
D472,372	S	*	4/2003	Hassett		D3/218	
6,604,618	B1		8/2003	Godshaw et al.			
6,681,936	B2	*	1/2004	Godshaw et al.		206/581	
D485,987	S	*	2/2004	Hassett		D3/267	
D498,920	S	*	11/2004	Ambrose		D3/219	
6,871,739	B2		2/2005	Lopez			
D507,875	S	*	8/2005	Hillman		D3/267	
D515,588	S		2/2006	Kirkwood			
D531,409	S		11/2006	Tullmann et al.			
D549,446	S	*	8/2007	Lown et al.		D3/202	
7,290,740	B2	*	11/2007	Joy et al.		248/187.1	
2003/0221924	A1	*	12/2003	Tong		190/107	
2005/0067319	A1		3/2005	Wei			
2007/0051766	A1		3/2007	Spencer			
				* cited by examiner			




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8