



US00D601085S

(12) **United States Design Patent**
Janesh et al.

(10) **Patent No.:** **US D601,085 S**
(45) **Date of Patent:** **** Sep. 29, 2009**

(54) **TIRE**

(75) Inventors: **Joseph Thomas Janesh**, Tallmadge, OH
(US); **Max Harold Dixon**, Kent, OH
(US); **Brandon Jeffrey Gramoll**,
Copley, OH (US)

(73) Assignee: **The Goodyear Tire & Rubber
Company**, Akron, OH (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/324,359**

(22) Filed: **Sep. 11, 2008**

(51) **LOC (9) Cl.** **12-15**

(52) **U.S. Cl.** **D12/600**

(58) **Field of Classification Search** D12/513,
D12/544, 545, 551, 554-555, 564-565, 579-580,
D12/581-603, 900-901; 152/209.1, 209.8-209.18,
152/209.25-209.28, 455

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,137,068	A *	8/1992	Loidl et al.		152/209.27
D392,605	S	3/1998	Le et al.		D12/146
D403,281	S	12/1998	Allen et al.		D12/147
D456,769	S *	5/2002	Dixon et al.		D12/600
D458,215	S *	6/2002	Le		D12/600
D478,863	S	8/2003	Le et al.		D12/602
D480,045	S	9/2003	Durand et al.		D12/601
D497,875	S	11/2004	Le et al.		D12/594
D500,288	S	12/2004	Maziarka et al.		D12/601
D504,391	S *	4/2005	Maziarka		D12/601
D504,865	S	5/2005	Maziarka et al.		D12/521
D528,500	S *	9/2006	Le et al.		D12/600
D534,858	S	1/2007	Le et al.		D12/553

D569,334	S *	5/2008	Maziarka et al.		D12/600
D585,364	S *	1/2009	Shondel et al.		D12/600
D592,590	S *	5/2009	Janesh et al.		D12/600

* cited by examiner

Primary Examiner—Stacia Cadmus

(74) *Attorney, Agent, or Firm*—Richard B. O'Planick

(57) **CLAIM**

The ornamental design for a tire, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire showing our new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a right side elevational view thereof; the opposite side elevational view being identical thereto;



FIG. 4 is an enlarged fragmentary front elevational view thereof;

FIG. 5 is a perspective view of a second embodiment of a tire showing our new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread and that the opposite side perspective view is identical thereto; and,

FIG. 6 is a front elevational view of a second embodiment, it being understood that an enlarged fragmentary view thereof would be substantially identical to that shown in FIG. 4, with the exception of the inclusion of the sidewall in solid lines.

In the drawings, the broken line showing of the sidewall, inner bead and the peripheral boundary between the tire tread and the sidewall in FIGS. 1 through 4 depict environmental subject matter and form no part of the claimed design.

1 Claim, 6 Drawing Sheets






FIG-1




FIG-2




FIG-3




FIG-4




FIG-5




FIG-6