

US00D601102S

(12) United States Design Patent

Onikiri et al.

(10) Patent No.:

US D601,102 S

** Sep. 29, 2009

(54) LIGHT-EMITTING DIODE

(75) Inventors: **Akira Onikiri**, Fujiyoshida (JP);

Daisaku Okuwaki, Fujiyoshida (JP); Naoya Kashiwagi, Fujiyoshida (JP)

(73) Assignee: Citizen Electronics Co., Ltd.,

Yamanashi (JP)

(**) Term: 14 Years

(21) Appl. No.: 29/324,482

Mar. 28, 2008

(22) Filed: Sep. 12, 2008

(30) Foreign Application Priority Data

Ma	ır. 28, 2008	(JP)		D2008-007954
Ma	ır. 28, 2008	(JP)	•••••	D2008-007955
(51)	LOC (9) C	l		13-03
(52)	U.S. Cl.	• • • • • • • • • • • • • • • • • • • •		D13/180
(58)	Field of Cl	assifica	tion Search	D13/180;
		D26/2;	257/79, 80, 81, 88,	89, 95, 98, 99,

257/100; 313/483, 498, 500; 362/555, 800 See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

D562,270	S	*	2/2008	Shimozawa D13/180
D574,791	S	*	8/2008	Shimozawa D13/180
D576,117	S	*	9/2008	Shin et al D13/180
2004/0089866	A 1	*	5/2004	Nagashima et al 257/79
2009/0009045	A1	*	1/2009	Schug et al 313/1

^{*} cited by examiner

Primary Examiner—Selina Sikder

(74) Attorney, Agent, or Firm—Browdy and Niemark, P.L.L.C.

(57) CLAIM

(45) **Date of Patent:**

The ornamental design for a light-emitting diode, as shown and described here.

DESCRIPTION

- FIG. 1 is a perspective view of the first embodiment of the light emitting diode in accordance to the present design as viewed from upper left front;
- FIG. 2 is a front elevation view thereof;
- FIG. 3 is a rear elevation view thereof;
- FIG. 4 is a right side elevation view, the left side being a mirror image thereof;
- FIG. 5 is a top plan view thereof;
- FIG. 6 is a bottom plan view thereof.
- FIG. 7 is a perspective view of the second embodiment of the light emitting diode in accordance to the present design as viewed from upper left front;
- FIG. 8 is a front elevation view thereof;
- FIG. 9 is a rear elevation view thereof;
- FIG. 10 is a right side elevation view, the left side being a mirror image thereof;
- FIG. 11 is a top plan view thereof;
- FIG. 12 is a bottom plan view thereof.
- FIG. 13 is a perspective view of the third embodiment of the light emitting diode in accordance to the present design as viewed from upper left front;
- FIG. 14 is a front elevation view thereof;
- FIG. 15 is a rear elevation view thereof;
- FIG. 16 is a right side elevation view, the left side being a mirror image thereof;
- FIG. 17 is a top plan view thereof;
- FIG. 18 is a bottom plan view thereof.
- FIG. 19 is a perspective view of the fourth embodiment of the light emitting diode in accordance to the present design as viewed from upper left front;
- FIG. 20 is a front elevation view thereof;
- FIG. 21 is a rear elevation view thereof;




FIG. 22 is a right side elevation view, the left side being a mirror image thereof;

FIG. 23 is a top plan view thereof;

FIG. 24 is a bottom plan view thereof.

FIG. 25 is a perspective view of the fifth embodiment of the light emitting diode in accordance to the present design as viewed from upper left front;

FIG. 26 is a front elevation view thereof;

FIG. 27 is a rear elevation view thereof;

FIG. 28 is a right side elevation view, the left side being a mirror image thereof;

FIG. 29 is a top plan view thereof;

FIG. 30 is a bottom plan view thereof.

FIG. 31 is a perspective view of the sixth embodiment of the light emitting diode in accordance to the present design as viewed from upper left front;

FIG. 32 is a front elevation view thereof;

FIG. 33 is a rear elevation view thereof;

FIG. 34 is a right side elevation view, the left side being a mirror image thereof;

FIG. 35 is a top plan view thereof;

FIG. 36 is a bottom plan view thereof.

FIG. 37 is a perspective view of the seventh embodiment of the light emitting diode in accordance to the present design as viewed from upper left front;

FIG. 38 is a front elevation view thereof;

FIG. 39 is a rear elevation view thereof;

FIG. 40 is a right side elevation view, the left side being a mirror image thereof;

FIG. 41 is a top plan view thereof;

FIG. 42 is a bottom plan view thereof.

FIG. 43 is a perspective view of the eighth embodiment of the light emitting diode in accordance to the present design as viewed from upper left front;

FIG. 44 is a front elevation view thereof;

FIG. **45** is a rear elevation view thereof;

FIG. **46** is a right side elevation view, the left side being a mirror image thereof;

FIG. 47 is a top plan view thereof;

FIG. 48 is a bottom plan view thereof.

FIG. **49** is a perspective view of the ninth embodiment of the light emitting diode in accordance to the present design as viewed from upper left front;

FIG. **50** is a front elevation view thereof;


FIG. 51 is a rear elevation view thereof;

FIG. **52** is a right side elevation view, the left side being a mirror image thereof;

FIG. 53 is a top plan view thereof; and,

FIG. **54** is a bottom plan view thereof.

1 Claim, 18 Drawing Sheets



rig. 2





Fig. 3






Fig. 5

and the second s	
<u></u>	

II / II	**************************************

Fig. 6




Fig. 7




Fig. 8




Fig. 9






Fig. 10





18.12




Fig. 13




Fig. 14




Fig. 15




Fig. 16




Fig. 17




Fig. 18




Fig. 19




Fig. 20





Fig. 21



F18.22




Fig. 23




Fig. 24




Fig. 25




Fig. 26




Fig. 27




Fig. 28




Fig. 29




Fig. 30




Fig. 31




Fig. 32




Fig. 33




Fig. 34




Fig. 35





Fig. 36



Tig. 37




Fig. 38




Fig. 39






Fig. 40





I g. 42




Fig. 43




Fig. 44




Fig. 45




Fig. 46




Fig. 47

The state of the s	
	<u> </u>
1	\(\text{T}\) \(\text{T}\) \(\t
	
	
	
·····	

Fig. 48




Fig. 49




Fig. 50




Fig. 51




Fig. 52




Fig. 53

	:

·	
	——————————————————————————————————————
AND THE RESIDENCE OF THE PARTY OF THE PARTY OF THE PARTY.	

Fig. 54

