



US00D601220S

(12) **United States Design Patent**
Sammann et al.

(10) **Patent No.:** **US D601,220 S**

(45) **Date of Patent:** **** Sep. 29, 2009**

(54) **PLAY SET SLIDE**

(57) **CLAIM**

(75) Inventors: **Charles Clifton Sammann**, Amarillo, TX (US); **Ronald L. Scripsick**, Pittsburg, KS (US)

The ornamental design for a play set slide, as shown and described.

(73) Assignee: **Backyard Leisure Holdings, Inc.**, Pittsburg, KS (US)

DESCRIPTION

(**) Term: **14 Years**

(21) Appl. No.: **29/323,330**

(22) Filed: **Aug. 22, 2008**

Related U.S. Application Data

(63) Continuation of application No. 29/282,101, filed on Jul. 11, 2007, now Pat. No. Des. 575,840.

(51) **LOC (9) Cl.** **21-03**

(52) **U.S. Cl.** **D21/818**

(58) **Field of Classification Search** D21/811, D21/814, 818-822; 482/35-36; 472/116-117
See application file for complete search history.

FIG. 1 is a perspective view of a play set slide embodying our design and being depicted as part of a play set for environmental purposes, with the play set framework supporting the slide and other play set components, as well as the channel defined along the exterior side of each side rail of the slide, being shown in broken lines for illustrative purposes only and forming no part of the claimed design, and with the slide being depicted as intermediately fragmented along its length so that the claimed design covers various slide lengths, and with the top margin of the lower section of each side rail being shown in broken lines so that the shape and extent to which the top margin along this section is spaced above the slide bed is not part of the claimed design;

FIG. 2 is a perspective view of only the play set slide depicted in FIG. 1, with the play set framework and other components having been removed;

FIG. 3 is a perspective view of the play set slide similar to that of FIG. 2 but from an opposite vantage point;

FIG. 4 is a side elevation view of the play set slide depicted in FIGS. 1-3, with the opposite side elevation being a mirror image thereof,

FIG. 5 is a top elevation view of the play set slide depicted in FIGS. 1-4;

FIG. 6 is a bottom elevation view of the play set slide depicted in FIGS. 1-5, with the cross-lying reinforcements underneath the slide bed being shown in broken lines for illustrative purposes only and forming no part of the claimed design;

FIG. 7 is a front elevation view of the play set slide depicted in FIGS. 1-6;

FIG. 8 is a back elevation view of the play set slide depicted in FIGS. 1-7;

FIG. 9 is a perspective view of the play set slide depicted in FIGS. 1-8, but illustrating the ability to provide an additional slide bed(s), with the additional slide bed and rail being

(56) **References Cited**


U.S. PATENT DOCUMENTS

D330,743 S *	11/1992	Mercer	D21/818
D336,674 S *	6/1993	Baer	D21/818
D384,722 S *	10/1997	Siragusa et al.	D21/818
D410,059 S *	5/1999	Zeilinger	D21/818
D410,060 S *	5/1999	Zeilinger	D21/818
6,342,015 B1 *	1/2002	Robertson et al.	472/116
D460,511 S *	7/2002	Van Deusen	D21/818
D513,779 S *	1/2006	Zeilinger et al.	D21/818
D520,590 S *	5/2006	Zeilinger et al.	D21/818
D522,604 S *	6/2006	Rieber	D21/818
D536,406 S *	2/2007	Nye et al.	D21/818
D536,407 S *	2/2007	Nye et al.	D21/818

* cited by examiner

Primary Examiner—Mitchell I Siegel

(74) *Attorney, Agent, or Firm*—Hovey Williams LLP



shown in broken lines for illustrative purposes only and forming no part of the claimed design;

FIG. **10** is a perspective view of one of the side rails of a play set slide embodying our design, with the channel defined along the exterior side of the side rail being shown in broken lines for illustrative purposes only and forming no part of the claimed design, and with the side rail being depicted as intermediately fragmented along its length so that the claimed design covers various rail lengths, and with the top margin of the lower section of the side rail being shown in broken lines so that the shape and extent to which the top margin along this section is spaced above the bottom margin is not part of the claimed design;

FIG. **11** is a perspective view of the side rail depicted in FIG. **10** but from an opposite vantage point, with the bed-receiving groove and reinforcement-receiving recesses defined along the interior side of the side rail being shown in broken lines for illustrative purposes only and forming no part of the claimed design;

FIG. **12** is an exterior side elevation view of the side rail depicted in FIGS. **10** and **11**;

FIG. **13** is a front elevation view of the side rail depicted in FIGS. **10-12**;

FIG. **14** is a back elevation view of the side rail depicted in FIGS. **10-13**;

FIG. **15** is an interior side elevation view of the side rail depicted in FIGS. **10-14**;

FIG. **16** is a top elevation view of the side rail depicted in FIGS. **10-15**; and,

FIG. **17** is a bottom elevation view of the side rail depicted in FIGS. **10-16**.

1 Claim, 10 Drawing Sheets





Fig. 1.






Fig. 4.




Fig. 5.




Fig. 6.




Fig. 8.




Fig. 7.




Fig. 9.




Fig. 11.




Fig. 10.




Fig. 13.





Fig. 12.






Fig. 16.




Fig. 17.