

(12) United States Design Patent (10) Patent No.: US D601,232 S Hanna (45) Date of Patent: ** Sep. 29, 2009

(54) LAVATORY

- (75) Inventor: Ken S. Hanna, Adell, WI (US)
- (73) Assignee: Kohler Co., Kohler, WI (US)
- (**) Term: 14 Years
- (21) Appl. No.: 29/331,688
- (22) Filed: Jan. 30, 2009

Primary Examiner—Robert A Delehanty(74) *Attorney, Agent, or Firm*—Quarles & Brady LLP

(57) **CLAIM**

The ornamental design for a lavatory, as shown and described.

DESCRIPTION

(52) U.S. Cl. D23/284

 (58) Field of Classification Search D23/270–274, D23/284, 285, 291, 293.1, 303, 308; 4/619, 4/638, 650, 661

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D218,237 S	*	8/1970	Cline D23/290
D560,778 S	*	1/2008	Paterson D23/293.1
D583,028 S	*	12/2008	Zou et al D23/284
D583,029 S	*	12/2008	Jiang D23/293.1

OTHER PUBLICATIONS

Kohler Co. "Inscribe Oval Cast Iron Wading Pool," Model No. K-2390 Kohler Co. online catalog. Copyright 2008 Kohler Co. Kohler Co. "Finoir Wall Mount Lavatory with 6" Centers", Model No. K-2035-L, Kohler Co. online catalog. Copyright 2008 Kohler co.

* cited by examiner

In a preferred embodiment, the nature of this product is as a plumbing fixture in the form of a lavatory which is primarily useful for washing various items and the body parts of humans.

FIG. 1 is a left, top, front perspective view of a lavatory embodying my new design;

FIG. 2 is a top plan view thereof;

FIG. **3** is a front elevational view thereof, the rear elevational view thereof being a mirror image of the front shown;

FIG. **4** is a left side elevational view thereof, the right side elevational view thereof being a mirror image of the left side shown;

FIG. 5 is a bottom plan view thereof; and,

FIG. 6 is a sectional view taken along line 6—6 of FIG. 2.

The broken line representations in the figures are for the purpose of illustration only, and form no part of the claimed design.



U.S. Patent Sep. 29, 2009 Sheet 1 of 3 US D601,232 S





U.S. Patent Sep. 29, 2009 Sheet 2 of 3 US D601,232 S

FIG. 3



FIG. 4



U.S. Patent Sep. 29, 2009 Sheet 3 of 3 US D601,232 S





FIG. 6