



US00D601561S

(12) **United States Design Patent**
Nunes et al.

(10) **Patent No.:** **US D601,561 S**
(45) **Date of Patent:** **** Oct. 6, 2009**

(54) **DATA LOGGING DEVICE HAVING
TETHERED DATA COMMUNICATION
INTERFACE**

(75) Inventors: **Peter M. Nunes**, Amesbury, MA (US);
Wai Bun Wilson Lam, Ma On Shan
(HK)

(73) Assignee: **Carrier Corporation**, Farmington, CT
(US)

(**) Term: **14 Years**

(21) Appl. No.: **29/324,865**

(22) Filed: **Sep. 22, 2008**

(51) **LOC (9) Cl.** **14-02**

(52) **U.S. Cl.** **D14/358**

(58) **Field of Classification Search** D14/356-358,
D14/363-364, 367, 370; 360/48, 99.01;
D13/162, 184, 199; 361/690-691; 379/207.02,
379/219

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,313,848 A	5/1994	Santin et al.	
RE36,200 E	4/1999	Berrian et al.	
D431,231 S *	9/2000	Goto	D14/356
D441,747 S *	5/2001	Liu et al.	D14/356
6,282,362 B1	8/2001	Murphy et al.	
6,317,639 B1	11/2001	Hansen	
6,493,650 B1	12/2002	Rodgers et al.	
D481,389 S *	10/2003	Owen	D14/358
6,950,028 B2	9/2005	Zweig	
D519,042 S	4/2006	DiLusio	
7,089,248 B1	8/2006	King et al.	
7,091,861 B2	8/2006	Schmidtberg et al.	
7,102,526 B2	9/2006	Zweig	
D532,420 S *	11/2006	Oikawa	D14/358
7,142,110 B2	11/2006	Schmidtberg et al.	
7,250,858 B2	7/2007	Schmidtberg et al.	
7,317,466 B2	1/2008	Conrard et al.	
D561,625 S	2/2008	Cherneff et al.	

D561,626 S	2/2008	Cherneff et al.
D561,627 S	2/2008	Cherneff et al.
D561,628 S	2/2008	Cherneff et al.
D561,629 S	2/2008	Cherneff et al.
D569,752 S	5/2008	Cherneff et al.
7,392,117 B1	6/2008	Bilodeau et al.
7,392,150 B2	6/2008	Kuepper et al.
D572,160 S	7/2008	Cherneff et al.
D574,281 S	8/2008	Cherneff et al.
7,278,571 B2	10/2008	Schmidtberg et al.

(Continued)

FOREIGN PATENT DOCUMENTS

GB	2308947 A	7/1997
WO	WO0205235 A1	1/2002
WO	WO2006002534 A1	1/2006

Primary Examiner—Brian N Vinson

(74) *Attorney, Agent, or Firm*—Kinney & Lange, P.A.

(57) **CLAIM**

The ornamental design for a data logging device having tethered data communication interface, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a data logging device having tethered data communication interface stowed;

FIG. 2 is a right side view thereof;

FIG. 3 is a left side view thereof;

FIG. 4 is a front view thereof;

FIG. 5 is a rear view thereof;

FIG. 6 is a top view thereof;


FIG. 7 is a bottom view thereof;

FIG. 8 is a front view thereof, with the tethered communication interface extended; and,

FIG. 9 is a rear view thereof.

The broken-line disclosure in the views represents portions of the article in which the design is embodied but which form no part of the claimed design.

1 Claim, 6 Drawing Sheets



US D601,561 S

Page 2

U.S. PATENT DOCUMENTS

2005/0052284	A1	3/2005	Schmidtberg et al.	2006/0092190	A1	5/2006	Conrard et al.
2005/0055237	A1	3/2005	Schmidtberg et al.	2007/0100846	A1	5/2007	King et al.
2005/0055254	A1	3/2005	Schmidtberg et al.	2007/0100865	A1	5/2007	King et al.
2005/0055268	A1	3/2005	Schmidtberg et al.	2007/0118334	A1	5/2007	Guenter et al.
2005/0055287	A1	3/2005	Schmidtberg et al.	2007/0174152	A1	7/2007	Bjornberg et al.
2005/0157774	A1	7/2005	DiLusio et al.	2008/0003983	A1	1/2008	Bodo et al.
2006/0015368	A1	1/2006	Hockey	2008/0054083	A1	3/2008	Evans
2006/0039033	A1	2/2006	French et al.	2008/0162053	A1	7/2008	Bischof et al.
				2008/0184272	A1	7/2008	Brownnewell

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9