



US00D601720S

(12) **United States Design Patent**  
**Gleeson**

(10) **Patent No.:** **US D601,720 S**

(45) **Date of Patent:** **\*\* Oct. 6, 2009**

(54) **MOISTURE BARRIER**

(75) Inventor: **James Gleeson**, North Curl Curl (AU)

(73) Assignee: **James Hardie International Finance B.V.**, Amsterdam (NL)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/324,745**

(22) Filed: **Sep. 19, 2008**

(30) **Foreign Application Priority Data**

Mar. 20, 2008 (AU) ..... 11419/2008

(51) **LOC (9) Cl.** ..... **25-01**

(52) **U.S. Cl.** ..... **D25/125; D25/163**

(58) **Field of Classification Search** ..... 405/38,  
405/63; 52/408, 409, 410, 411, 412, 413,  
52/169.14; D25/138, 125, 163

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

331,469	A	12/1885	Baker	
1,440,358	A	12/1922	Whetstone	
D216,836	S *	3/1970	Faulkner et al. ....	D25/125
D234,437	S *	3/1975	Cralk .....	D25/125
D275,705	S	9/1984	Gabriel .....	D25/73
5,473,847	A	12/1995	Crookston .....	52/302.1
5,747,142	A	5/1998	Bleasdale .....	428/167
6,279,284	B1 *	8/2001	Moras .....	52/408
D448,488	S	9/2001	Chaffiotte et al. ....	D24/219
6,298,620	B1	10/2001	Hatzinikolas .....	52/302.1
6,355,333	B1	3/2002	Waggoner et al. ....	428/174
D456,911	S	5/2002	Janesky .....	D25/119
6,449,915	B1	9/2002	Park .....	52/407.1
6,672,016	B2 *	1/2004	Janesky .....	52/169.5
6,695,535	B1 *	2/2004	Lazes .....	405/63
6,701,685	B2 *	3/2004	Rippey .....	52/408
6,802,668	B2	10/2004	Parker .....	405/49
D498,856	S	11/2004	Froech .....	D25/157
6,990,775	B2	1/2006	Koester .....	52/302.1

2003/0126810	A1 *	7/2003	Brunson et al. ....	52/169.5
2004/0226238	A1	11/2004	Haapiainen .....	52/302.1
2006/0005509	A1	1/2006	Yohnke et al. ....	52/782.1
2007/0130849	A1 *	6/2007	Langer et al. ....	52/169.14

FOREIGN PATENT DOCUMENTS

CA	2244625	2/2000
EP	0127824	12/1984
EP	0373017	6/1990
EP	1243714	9/2002
JP	07279275	10/1995
JP	8109686	4/1996
JP	8267624	10/1996
JP	2000001944	1/2000
JP	2000017751	1/2000
JP	2000336814	12/2000
JP	2001-227100	8/2001
JP	2003-239408	8/2003
JP	3733370	1/2006
WO	WO 03/089726	10/2003
WO	WO 2004/092494	10/2004

\* cited by examiner

*Primary Examiner*—Doris Clark

(57) **CLAIM**


The ornamental design for a moisture barrier, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of a moisture barrier;  
FIG. 2 is a front view of the moisture barrier shown in FIG. 1;  
FIG. 3 is a back view of the moisture barrier shown in FIG. 1;  
FIG. 4 is a side view of the moisture barrier shown in FIG. 1 having a mirrored side not shown; and,  
FIG. 5 is an end view of the moisture barrier shown in FIG. 1 having a mirrored side not shown.

For FIGS. 1–5, lines shown as broken are for illustrative purposes only, showing the environment, and form no part of the claimed design.

**1 Claim, 4 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3



FIG. 4



FIG. 5