



US00D601924S

(12) **United States Design Patent**
Bauer et al.

(10) **Patent No.:** **US D601,924 S**
(45) **Date of Patent:** **** Oct. 13, 2009**

(54) **VEHICLE, TOY, AND/OR OTHER REPLICAS**

(75) Inventors: **Karlheinz Bauer**, Esslingen (DE);
Juergen Bollmann, Schoenberg (DE);
Gorden Wagener, Newport Coast, CA
(US)

(73) Assignee: **Daimler AG**, Stuttgart (DE)

(**) Term: **14 Years**

(21) Appl. No.: **29/300,647**

(22) Filed: **Apr. 22, 2008**

(30) **Foreign Application Priority Data**

Oct. 23, 2007 (DE) 40705296

(51) **LOC (9) Cl.** **12-08**

(52) **U.S. Cl.** **D12/91**

(58) **Field of Classification Search** D12/86,
D12/90-92, 190, 196, 88; D21/424, 433,
D21/434; 296/181.1, 181.5

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D460,022 S *	7/2002	Hsu et al.	D12/91
D469,038 S *	1/2003	Mattin et al.	D12/91
D476,269 S *	6/2003	Suzuki et al.	D12/91
D476,922 S *	7/2003	Pfeiffer et al.	D12/91
D490,019 S *	5/2004	Sakae	D12/91
D506,706 S *	6/2005	Pfeiffer et al.	D12/91
D558,094 S *	12/2007	Pfeiffer	D12/91

* cited by examiner

Primary Examiner—Melody N Brown
(74) *Attorney, Agent, or Firm*—Crowell & Moring LLP

(57) **CLAIM**

The ornamental design for a vehicle, toy, and/or other replicas, as shown and described.

DESCRIPTION

This application is related to the following co-pending applications: application Ser. No. 29/300,646, entitled “Rear Portion of a Vehicle, Toy, or Likeness Thereof”; application Ser. No. 29/300,641, entitled “Headlight for a Vehicle”; application Ser. No. 29/300,642, entitled “Headlight for a Vehicle”; application Ser. No. 29/300,643, entitled “Taillight for a Vehicle”; application Ser. No. 29/300,644, entitled “Taillight for a Vehicle”; application Ser. No. 29/300,645, entitled “Taillight for a Vehicle”; and application Ser. No. 29/287,947, entitled Vehicle, Toy, and/or Other Replicas.

FIG. 1 is a left, front perspective view of a vehicle, toy, and/or other replicas according to our novel design, the right, front perspective view being mirror symmetrical;

FIG. 2 is a left, rear perspective view thereof, the right, front perspective view being mirror symmetrical;

FIG. 3 is a left side view thereof;

FIG. 4 is a right side view thereof;


FIG. 5 is a front view thereof;



FIG. 6 is a rear view thereof; and,

FIG. 7 is a top view thereof.

Also enclosed is a set of photographs of an embodiment of the invention. The broken lines are for illustrative purposes only and form no part of the claimed design.

1 Claim, 5 Drawing Sheets








FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7