



US00D601959S

(12) **United States Design Patent**
Lee et al.

(10) **Patent No.:** **US D601,959 S**
(45) **Date of Patent:** **** Oct. 13, 2009**

(54) **BATTERY CASE FOR A BATTERY OF A MOBILE COMMUNICATION TERMINAL**

(75) Inventors: **Byung-Chan Lee**, Yongin-si (KR);
Joon-Suh Kim, Anyang-si (KR);
Gee-Hong Yoon, Seongnam-si (KR)

(73) Assignee: **Samsung Electronics Co., Ltd.**,
Suwon-Si (KR)

(**) Term: **14 Years**

(21) Appl. No.: **29/287,455**

(22) Filed: **Aug. 9, 2007**

(30) **Foreign Application Priority Data**

Jun. 4, 2007 (KR) 30-2007-0023935

(51) **LOC (9) Cl.** **13-03**

(52) **U.S. Cl.** **D13/119**

(58) **Field of Classification Search** D13/102–110,
D13/118–119, 184; D14/250, 251, 253,
D14/432, 434; D3/201, 215, 218, 226, 230,
D3/299; 429/96–100, 163, 176; 320/101–102,
320/107–115; 206/320, 701

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D395,749 S * 7/1998 Jayez D3/218
- D401,055 S * 11/1998 Jayez D3/218
- D407,063 S * 3/1999 Reis et al. D13/103
- D460,411 S * 7/2002 Wang D13/103
- D506,066 S * 6/2005 Nieves D3/299
- D517,007 S * 3/2006 Yong-Jian et al. D13/108
- D525,582 S * 7/2006 Chan D13/107
- D526,958 S * 8/2006 Shimizu D13/108
- D535,252 S * 1/2007 Sandnes D13/108
- D543,513 S * 5/2007 Allen et al. D13/184
- D548,178 S * 8/2007 Suk et al. D13/108
- D556,681 S * 12/2007 Kim D13/103

- D557,205 S * 12/2007 Kim D13/103
- D557,894 S * 12/2007 Yeo D3/218
- D558,973 S * 1/2008 Hussaini et al. D3/201
- D559,267 S * 1/2008 Griffin D14/496
- D559,532 S * 1/2008 Kwak et al. D3/218
- D566,383 S * 4/2008 Harris et al. D3/218
- D567,500 S * 4/2008 Kwak et al. D3/218
- D569,607 S * 5/2008 Calco et al. D3/201
- D570,101 S * 6/2008 Harris et al. D3/218
- 2008/0053770 A1 * 3/2008 Tynyk 190/100

* cited by examiner

Primary Examiner—Jennifer Rivard

Assistant Examiner—Rosemary K Tarcza

(74) *Attorney, Agent, or Firm*—Staas & Halsey LLP

(57) **CLAIM**

The ornamental design for a battery case for a battery of a mobile communication terminal, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a battery case for a battery of a mobile communication terminal;

FIG. 2 is a front view of the battery case for a battery of a mobile communication terminal of FIG. 1;

FIG. 3 is a rear view of the battery case for a battery of a mobile communication terminal of FIG. 1;

FIG. 4 is left-side of the battery case for a battery of a mobile communication terminal of FIG. 1;

FIG. 5 is right-side of the battery case for a battery of a mobile communication terminal of FIG. 1;

FIG. 6 is top plan view of the battery case for a battery of a mobile communication terminal of FIG. 1;

FIG. 7 is bottom plan view of the battery case for a battery of a mobile communication terminal of FIG. 1; and,

FIG. 8 is an open perspective view of the battery case for a battery of a mobile communication terminal of FIG. 1.

1 Claim, 6 Drawing Sheets




FIG. 1




FIG.2




FIG. 3




FIG.4




FIG.5




FIG.6




FIG.7




FIG.8

