



US00D601976S

(12) **United States Design Patent**  
**Petrillo et al.**

(10) **Patent No.:** **US D601,976 S**  
(45) **Date of Patent:** **\*\* Oct. 13, 2009**

(54) **WIRELESS CONTROL DEVICE**

(75) Inventors: **David William Petrillo**, Pennington, NJ (US); **Jason O. Adams**, Emmaus, PA (US); **Samuel F. Chambers**, Conshohocken, PA (US); **Gregory Altonen**, Easton, PA (US); **Elliot G. Jacoby**, Glenside, PA (US)

(73) Assignee: **Lutron Electronics Co., Inc.**, Coopersburg, PA (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/326,190**

(22) Filed: **Oct. 14, 2008**

(51) **LOC (9) Cl.** ..... **14-03**

(52) **U.S. Cl.** ..... **D13/168**

(58) **Field of Classification Search** ..... D13/110,  
D13/162, 168; D19/72; D10/46, 104, 106;  
D14/218; 315/291; 361/671.09; 340/825.22,  
340/825.24, 825.25, 825.31, 825.36, 825.69,  
340/825.72

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

4,221,975	A *	9/1980	Ledniczki et al.	.....	307/116
4,972,125	A *	11/1990	Cunningham et al.	.....	315/291
D317,310	S *	6/1991	Schwartz	.....	D14/218
D406,101	S *	2/1999	Ahn et al.	.....	D13/110
D425,810	S *	5/2000	Siller et al.	.....	D10/106
6,839,165	B2 *	1/2005	Jacoby et al.	.....	359/356
6,888,323	B1 *	5/2005	Null et al.	.....	315/294
2004/0222752	A1 *	11/2004	Yamanaka et al.	.....	315/291
2009/0097193	A1 *	4/2009	Lee et al.	.....	361/679.01

**OTHER PUBLICATIONS**

Lutron Electronics Co., Inc., Fluorescent Dimming Systems Technical Guide, 2002, front cover, rear cover.  
Lutron Electronics Co., Inc., ECO-10 TVE 10% Fluorescent Dimming Module Specification Submittal Sheet, Feb. 19, 2004, 6 pages.  
Lutron Electronics Co., Inc., Hi-Lume 3D Digitally Addressable Dimming Ballasts Sell Sheet, Sep. 2007, 4 pages.

\* cited by examiner

*Primary Examiner*—Selina Sikder

(74) *Attorney, Agent, or Firm*—Mark E. Rose; Philip N. Smith

(57) **CLAIM**

The ornamental design for a wireless control device, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a wireless control device according to a first embodiment of our new design.

FIG. 2 is a front view thereof.

FIG. 3 is a left side view thereof.

FIG. 4 is a right side view thereof.

FIG. 5 is a top view thereof.

FIG. 6 is a bottom view thereof.

FIG. 7 is a perspective view of a wireless control device according to a second embodiment of our new design.

FIG. 8 is a front view thereof.

FIG. 9 is a left side view thereof.


FIG. 10 is a right side view thereof.

FIG. 11 is a top view thereof; and,

FIG. 12 is a bottom view thereof.

The rear views form no part of the design and are omitted.

**1 Claim, 4 Drawing Sheets**






Fig. 1




Fig. 5




Fig. 3

Fig. 2

Fig. 4




Fig. 6




Fig. 7




Fig. 11




Fig. 9




Fig. 8




Fig. 10




Fig. 12