



US00D602004S

(12) **United States Design Patent**  
**Matsuoka**

(10) **Patent No.:** **US D602,004 S**  
(45) **Date of Patent:** **\*\* Oct. 13, 2009**

(54) **PAIRED SET OF A PERSONAL AUDIO  
OUTPUT DEVICE WITH SURFACE  
ORNAMENTATION**

(75) Inventor: **Yoshimichi Matsuoka**, Cupertino, CA  
(US)

(73) Assignee: **Palm, Inc.**, Sunnyvale, CA (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/322,464**

(22) Filed: **Aug. 5, 2008**

(51) **LOC (9) Cl.** ..... **14-01**

(52) **U.S. Cl.** ..... **D14/223**

(58) **Field of Classification Search** ..... D14/205,  
D14/206, 223, 188, 192, 155, 191; 181/129,  
181/130; 379/430, 433.01, 433.02, 433.03,  
379/433.06; D24/173, 174; 381/370, 380,  
381/381

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

3,197,577	A *	7/1965	Kuklock	.....	381/328
3,270,146	A *	8/1966	Eberhard et al.	.....	381/324
6,256,386	B1 *	7/2001	Phillips	.....	379/430
D471,898	S *	3/2003	Bae	.....	D14/223
7,062,057	B2 *	6/2006	Wu	.....	381/323
D537,438	S *	2/2007	Hermansen	.....	D14/223
D559,836	S *	1/2008	Lee	.....	D14/223
D561,783	S *	2/2008	Schmelling	.....	D14/496
D565,023	S *	3/2008	Yamagishi	.....	D14/205
D566,696	S *	4/2008	Schmelling	.....	D14/223
D568,876	S *	5/2008	Tsai et al.	.....	D14/223
D573,140	S *	7/2008	Tsai et al.	.....	D14/223
D575,278	S *	8/2008	Guccione et al.	.....	D14/223

\* cited by examiner

*Primary Examiner*—Paula Greene

(74) *Attorney, Agent, or Firm*—Mahamedi Paradise  
Kreisman LLP

(57) **CLAIM**

The ornamental design for a paired set of a personal audio output device with surface ornamentation, as shown and described.

**DESCRIPTION**

FIG. 1 is a front view of the left one of a paired set of a personal audio output device with surface ornamentation showing our new design, shown separately for ease of illustration;

FIG. 2 is a front isometric view of the personal audio output device of FIG. 1;

FIG. 3 is a back end view of the personal audio output device of FIG. 1;

FIG. 4 is a front end view of the personal audio output device of FIG. 1;

FIG. 5 is a top view of the personal audio output device of FIG. 1;

FIG. 6 is a bottom view of the personal audio output device of FIG. 1;

FIG. 7 is a front view of the left one of a paired set of a personal audio output device with surface ornamentation showing our new design, shown separately for ease of illustration;

FIG. 8 is a front view of the left one of a paired set of a personal audio output device with surface ornamentation, shown separately for ease of illustration;

FIG. 9 is a front view of the right one of a paired set of a personal audio output device with surface ornamentation showing our new design, shown separately for ease of illustration;

FIG. 10 is a front isometric view of the device of FIG. 9;

FIG. 11 is a back end view of the device of FIG. 9;

FIG. 12 is a front end view of the device of FIG. 9;

FIG. 13 is a top view of the device of FIG. 9;

FIG. 14 is a bottom view of the device of FIG. 9;




FIG. **15** is a front view of the right one of a paired set of a personal audio output device with surface ornamentation showing our new design, shown separately for ease of illustration;

FIG. **16** is a front view of the right one of a paired set of a personal audio output device with surface ornamentation showing our new design, shown separately for ease of illustration;

FIG. **17** is a front view of a paired set of a personal audio output device with surface ornamentation showing our new design; and,

FIG. **18** is a front view of a paired set formed by the personal audio output device for each of the left ear and the right ear.

The broken-line showing of the personal audio output device in all the figures is for illustrative purposes only and forms no part of the claimed embodiments.

The stippled showing of certain elements is meant to show that the embodiments claimed have, or may have, a contrasting color, shade, tone, surface texture, degree of translucency, or combination(s) of these qualities, as compared to other parts of the device, which contrast may have the effect of an ornamental or design accent.

**1 Claim, 9 Drawing Sheets**




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12






FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18