



US00D602080S

(12) **United States Design Patent**
Takaghi

(10) **Patent No.:** **US D602,080 S**

(45) **Date of Patent:** **** Oct. 13, 2009**

(54) **POCKET INSERT**

(75) Inventor: **Kazuhiko Takaghi**, Tokyo (JP)

(73) Assignee: **Mark's Inc.**, Tokyo (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/289,871**

(22) Filed: **Aug. 3, 2007**

(30) **Foreign Application Priority Data**

Jul. 6, 2007 (JP) 2007-018339

(51) **LOC (9) Cl.** **19-04**

(52) **U.S. Cl.** **D19/27**

(58) **Field of Classification Search** D3/301,
D3/289, 287, 285, 284, 276, 267, 206, 268;
D9/417, 423, 424, 430; D19/86, 88, 26,
D19/27; D6/631, 632, 633, 634; 383/4,
383/10; 224/651, 652; 206/320; 190/111,
190/117, 114, 115; 40/360

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | | |
|-----------|-----|---------|-----------------|-------|---------|
| 1,764,569 | A * | 6/1930 | Knee | | 206/526 |
| 3,118,478 | A * | 1/1964 | Metrick | | 150/136 |
| 3,680,969 | A * | 8/1972 | Gorman | | 402/3 |
| 3,870,223 | A * | 3/1975 | Wyant | | 229/72 |
| D271,700 | S * | 12/1983 | Boughner et al. | | D19/33 |
| 4,643,451 | A * | 2/1987 | Coates | | 283/56 |
| D299,932 | S * | 2/1989 | Beleckis | | D19/26 |
| D302,699 | S * | 8/1989 | Popat et al. | | D19/26 |

| | | | | | |
|--------------|------|---------|-----------------|-------|----------|
| D312,277 | S * | 11/1990 | Moor | | D19/27 |
| D334,588 | S * | 4/1993 | Okola | | D19/27 |
| D334,772 | S * | 4/1993 | Wyant | | D19/26 |
| 5,489,120 | A * | 2/1996 | Thornsburg | | 281/33 |
| D567,286 | S * | 4/2008 | Takahashi | | D19/33 |
| D573,638 | S * | 7/2008 | Takaghi | | D19/26 |
| D577,768 | S * | 9/2008 | Takahashi | | D19/27 |
| 2003/0157472 | A1 * | 8/2003 | Castillo et al. | | 434/409 |
| 2007/0228118 | A1 * | 10/2007 | Makofsky | | 229/67.1 |

* cited by examiner

Primary Examiner—Cathron C Brooks

Assistant Examiner—Austin Murphy

(74) *Attorney, Agent, or Firm*—Lackenbach Siegel, LLP;
Andrew F. Young

(57) **CLAIM**

The ornamental design for a pocket insert, as shown and described in the present invention.

DESCRIPTION

FIG. 1 is a front view of the pocket insert of the present invention.

FIG. 2 is a rear view of the pocket insert shown in FIG. 1.



FIG. 3 is a top plane view of the pocket insert shown in FIG. 1.

FIG. 4 is a base view of the pocket insert shown in FIG. 1.

FIG. 5 is a right view of the pocket insert shown in FIG. 1; and,

FIG. 6 is a left view of the pocket insert shown in FIG. 1.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2

FIG. 3



FIG. 4





FIG. 6




FIG. 5