



US00D602093S

(12) **United States Design Patent**
Butler et al.

(10) **Patent No.:** **US D602,093 S**
(45) **Date of Patent:** **** Oct. 13, 2009**

(54) **OVAL EXIT SIGN**
(75) Inventors: **Doyle Scott Butler**, Dunwoody, GA
(US); **John T. Mayfield, III**, Loganville,
GA (US)
(73) Assignee: **ABL IP Lighting LLC**, Conyers, GA
(US)

D284,486 S 7/1986 Gransden
4,994,941 A 2/1991 Wen
5,536,558 A 7/1996 Shelton
D399,533 S 10/1998 Krattiger
D419,604 S 1/2000 Emmett
6,094,849 A 8/2000 Phillips et al.
D433,714 S 11/2000 Rosen et al.
6,190,026 B1 2/2001 Moore

(Continued)

(**) Term: **14 Years**
(21) Appl. No.: **29/321,284**
(22) Filed: **Jul. 14, 2008**

FOREIGN PATENT DOCUMENTS

EP 0533301 B1 3/1993

(Continued)

(51) **LOC (9) Cl.** **20-03**
(52) **U.S. Cl.** **D20/42**
(58) **Field of Classification Search** D20/10,
D20/17, 19, 21, 40-43, 99; 40/447, 533,
40/541-544, 546, 553, 564, 570, 572, 574,
40/581, 582, 584, 617, 700, 716; D10/104,
D10/109; 52/38; 362/494, 812
See application file for complete search history.

OTHER PUBLICATIONS

Innovation—"Quarterly of the Industrial Designers Society of
America"—© 2007 Industrial Designers Society of American. vol.
26, No. 4, 2007—1 pg.

Primary Examiner—Janice E Seeger
Assistant Examiner—Mary Ann Calabrese
(74) *Attorney, Agent, or Firm*—Kilpatrick Stockton, LLP

(56) **References Cited**

(57) **CLAIM**

U.S. PATENT DOCUMENTS

The ornamental design for an oval exit sign, as shown and
described.

640,140 A 12/1899 Lloyd
D46,885 S 1/1915 Maixner
1,465,950 A * 8/1923 Schiller 362/494
1,640,001 A 8/1927 Kolbe
1,651,084 A 11/1927 Clark
1,657,705 A 1/1928 Wiley
D76,614 S 10/1928 Hershman
1,719,918 A 7/1929 Wetzel
1,798,199 A * 3/1931 Gans 40/572
1,809,243 A * 6/1931 Kirk 40/553
2,409,957 A 10/1946 Reynolds
2,517,095 A 8/1950 Dixon
2,523,290 A * 9/1950 Gardner 40/716
D162,354 S 3/1951 Smith
D164,598 S 9/1951 Peters
2,848,829 A 8/1958 Johnson
3,591,941 A 7/1971 Jaffe, Jr. et al.
4,229,913 A * 10/1980 Corrigan 52/38

DESCRIPTION

FIG. 1 shows a top perspective view of an oval exit sign
according to the present invention.

FIG. 2 shows a front view of the oval exit sign of FIG. 1.

FIG. 3 shows a right side view of the oval exit sign of FIG. 1,
the left side view being the same.


FIG. 4 shows a rear view of the oval exit sign of FIG. 1.

FIG. 5 shows a top view of the oval exit sign of FIG. 1; and,

FIG. 6 shows a bottom view of the oval exit sign of FIG. 1.

Portions or features of the oval exit sign shown in broken lines
in the drawings form no part of the claimed design.

1 Claim, 4 Drawing Sheets



US D602,093 S

Page 2

U.S. PATENT DOCUMENTS

6,240,665 B1 * 6/2001 Brown et al. 40/570
D456,850 S 5/2002 Fallon
D461,847 S 8/2002 Phelps et al.
6,553,701 B1 4/2003 Neisen et al.
D477,032 S 7/2003 Fallon
6,612,055 B2 9/2003 Bradford
6,742,296 B2 6/2004 Johnson et al.
D534,218 S 12/2006 Krikorian et al.
7,182,487 B1 2/2007 Pickard et al.
7,192,148 B2 3/2007 Tsai et al.
D544,038 S 6/2007 Kaoh et al.
D545,907 S 7/2007 Nelson
D545,909 S 7/2007 Jacobs et al.
7,246,932 B2 7/2007 Burtsev et al.

D548,795 S 8/2007 Bourgeois et al.
D549,784 S * 8/2007 Bourgeois et al. D20/42
D553,691 S 10/2007 Lane
7,287,347 B2 * 10/2007 Hasan 40/553
2003/0208939 A1 11/2003 Banman
2004/0064991 A1 4/2004 Gow
2007/0113442 A1 5/2007 Holst
2007/0175076 A1 8/2007 Stanley

FOREIGN PATENT DOCUMENTS

JP 2002-286941 10/2002
WO WO89/11713 11/1989
WO WO03/036597 5/2003

* cited by examiner




FIG. 3




FIG. 1




FIG. 2




FIG. 4




FIG. 5




FIG. 6