

US00D602113S

(12) **United States Design Patent**
Ballard

(10) **Patent No.:** **US D602,113 S**
(45) **Date of Patent:** **** Oct. 13, 2009**

(54) **DUAL APERTURE GUNSIGHT BODY**

(76) Inventor: **Marlin Daniel Ballard**, 4900 W.
William Cannon, Austin, TX (US) 78749

(**) Term: **14 Years**

(21) Appl. No.: **29/314,695**

(22) Filed: **Apr. 20, 2009**

(51) **LOC (9) Cl.** **22-01**

(52) **U.S. Cl.** **D22/110**

(58) **Field of Classification Search** D22/108-110,
D22/199; D16/130, 132, 133, 134, 330;
359/359, 399, 744, 823; 42/111, 119, 122,
42/133

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

504,696	A *	9/1893	Armistead	42/133
D34,244	S *	3/1901	Barger	D22/109
846,217	A	3/1907	King	
1,850,288	A *	3/1932	Robbins	42/133
2,488,836	A	11/1949	Sweetman	
2,645,017	A	7/1953	Haase	
D183,136	S *	7/1958	McGabe	D22/109
D183,360	S *	8/1958	McGabe	D22/109
D226,480	S *	3/1973	Mauro	D22/109
D266,783	S *	11/1982	Stratman	D22/109
4,790,075	A *	12/1988	Howard, Sr.	42/130
4,993,158	A *	2/1991	Santiago	42/135
D328,485	S *	8/1992	Crowley	D22/109
D354,111	S *	1/1995	Karppinen	D22/109
5,577,326	A *	11/1996	Montelin	42/113
D390,303	S *	2/1998	Bullock	D22/111
D390,909	S *	2/1998	Smith	D22/109
D404,788	S *	1/1999	Gangl, Jr.	D22/109
D413,645	S *	9/1999	Sheehan	D22/109
D417,252	S *	11/1999	Kay	D22/108
D429,789	S	8/2000	Sheehan	
D435,283	S *	12/2000	Ling, Jr.	D22/109
6,360,471	B1	3/2002	Stein	
6,681,512	B2 *	1/2004	Sammur	42/122

D515,170	S *	2/2006	Price	D22/109
7,040,027	B1	5/2006	Shaffer	
7,076,907	B2 *	7/2006	Nesseth et al.	42/140
D526,380	S *	8/2006	Swan	D22/109
D526,695	S *	8/2006	Warren	D22/109
D531,693	S *	11/2006	Warren et al.	D22/109

(Continued)

Primary Examiner—T. Chase Nelson

Assistant Examiner—Michael A Pratt

(74) *Attorney, Agent, or Firm*—David O. Simmons

(57) **CLAIM**

The ornamental design for a dual aperture gunsight body, substantially as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a first embodiment of a dual aperture gunsight body in accordance with the present invention;

FIG. 2 is a front view of the dual aperture gunsight body shown in FIG. 1;

FIG. 3 is a rear view of the dual aperture gunsight body shown in FIG. 1;

FIG. 4 is a right side view of the dual aperture gunsight body shown in FIG. 1;


FIG. 5 is a left side view of the dual aperture gunsight body shown in FIG. 1;

FIG. 6 is a top view of the dual aperture gunsight body shown in FIG. 1;

FIG. 7 is a bottom view of the dual aperture gunsight body shown in FIG. 1; and,

FIG. 8 is a perspective view of a second embodiment of a dual aperture gunsight body in accordance with the present invention, wherein the only difference being minor indentions within side surfaces (shown in FIGS. 4 and 5) that extend between front and rear surfaces (shown in FIGS. 2 and 3, respectively) and wherein it is understood that all other surfaces are the same as those of the first embodiment.

1 Claim, 2 Drawing Sheets



U.S. PATENT DOCUMENTS

D533,616	S	*	12/2006	Warren		D22/109			
D533,617	S	*	12/2006	Warren		D22/109			
D534,986	S	*	1/2007	Warren et al.		D22/109			
D546,915	S	*	7/2007	Price		D22/109			
D546,916	S		7/2007	Schwerman					
D565,144	S	*	3/2008	Price		D22/109			
D588,228	S	*	3/2009	Swan		D22/109			
D594,083	S	*	6/2009	Mayberry et al.		D22/109			
D594,084	S	*	6/2009	Mayberry et al.		D22/109			
2003/0140546	A1	*	7/2003	Kay		42/133			
2007/0130817	A1	*	6/2007	Ballard		42/118			
2007/0234625	A1	*	10/2007	Kidd		42/111			
2008/0276519	A1	*	11/2008	Ballard		42/143			
2008/0276520	A1	*	11/2008	Ballard		42/143			
2009/0049734	A1	*	2/2009	Storch et al.		42/136			

* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 8




FIG. 7

