



US00D602266S

(12) **United States Design Patent**
Hagström

(10) **Patent No.:** **US D602,266 S**

(45) **Date of Patent:** **** *Oct. 20, 2009**

(54) **BOUNCER**

(75) Inventor: **Kjell Åke Hagström**, Halmstad (SE)

(73) Assignee: **Svan AB**, Halmstad (SE)

(*) Notice: This patent is subject to a terminal disclaimer.

(**) Term: **14 Years**

(21) Appl. No.: **29/269,219**

(22) Filed: **Nov. 24, 2006**

(51) **LOC (9) Cl.** **06-01**

(52) **U.S. Cl.** **D6/333**

(58) **Field of Classification Search** D6/333,
D6/335, 339, 491, 500-502; D12/129; D21/412,
D21/419; 280/30, 31; 5/94, 98.1, 99.1, 101,
5/102, 105, 655; 297/183.1, 183.2, 183.3,
297/183.4, 184.13, 184.15, 184.17, 250.1,
297/255, 256.1, 256.15, 256.16; 24/200,
24/211

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,586,262	A *	2/1952	Robins	5/120
2,848,040	A *	8/1958	Chernivsky	297/296
4,188,678	A *	2/1980	Rawolle	5/105
4,293,162	A *	10/1981	Pap et al.	297/184.15
4,553,786	A *	11/1985	Lockett et al.	297/440.1
D282,791	S *	3/1986	Lockett et al.	D6/333
4,583,779	A *	4/1986	Myers	297/184.13
D288,757	S *	3/1987	Hoeckel	D6/491
D297,685	S *	9/1988	Wilson	D6/348
D321,599	S *	11/1991	Takahashi et al.	D6/333
5,187,826	A *	2/1993	Mariol	5/655
D337,894	S *	8/1993	Mariol	D6/333
D343,958	S *	2/1994	Greenwood	D6/333
5,360,258	A *	11/1994	Alivizatos	297/440.11

5,460,430	A *	10/1995	Miga et al.	297/452.13
5,503,458	A *	4/1996	Petrie	297/452.13
D429,923	S *	8/2000	Meglino et al.	D6/491
D440,412	S *	4/2001	Huang	D6/333
D447,879	S *	9/2001	Hsia	D6/333
6,341,816	B1 *	1/2002	Chen et al.	297/16.1
D468,544	S *	1/2003	Myers	D6/334
6,592,425	B2 *	7/2003	Bapst et al.	446/227
6,594,840	B2 *	7/2003	Tomas et al.	5/655
D478,220	S *	8/2003	Chang	D6/348
D492,851	S *	7/2004	Kane	D6/333
6,869,368	B1 *	3/2005	Clarke et al.	472/29
D518,967	S *	4/2006	Canna et al.	D6/333
D560,374	S *	1/2008	Bergkvist et al.	D6/333
D581,323	S *	11/2008	Toussaint	D12/129

* cited by examiner

Primary Examiner—Sandra Snapp

(57) **CLAIM**

The ornamental design for a bouncer, as shown and described.

DESCRIPTION

FIG. 1 is a perspective front view of the bouncer of the present invention;

FIG. 2 is a perspective rear view, of the bouncer shown in FIG. 1;

FIG. 3 is a top view, of the bouncer shown in FIG. 1;

FIG. 4 is an elevational left side view, of the bouncer shown in FIG. 1;


FIG. 5 is a bottom view, of the bouncer shown in FIG. 1;

FIG. 6 is an elevational front view, of the bouncer shown in FIG. 1;

FIG. 7 is an elevational back view, of the bouncer shown in FIG. 1; and,

FIG. 8 is an elevational right side view, of the bouncer shown in FIG. 1.

1 Claim, 3 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8