



US00D602310S

(12) **United States Design Patent**
Klimecki

(10) **Patent No.:** **US D602,310 S**
(45) **Date of Patent:** **** Oct. 20, 2009**

(54) **SERVING BOWL**

(76) Inventor: **Andrew Klimecki**, William Williams
The Brampton New Castle-Under-Lyme,
Staffordshire (GB)

(**) Term: **14 Years**

(21) Appl. No.: **29/286,457**

(22) Filed: **May 7, 2007**

(51) **LOC (9) Cl.** **07-01**

(52) **U.S. Cl.** **D7/553.8; D7/584; D7/500**

(58) **Field of Classification Search** D7/500,
D7/590, 540, 542, 553.6, 554.1, 538, 602,
D7/619.1; D9/414, 424, 428; D1/105; 47/80,
47/41.13; 220/560; D6/408

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D37,901 S * 3/1906 Burley D7/590

(Continued)

Primary Examiner—Robert M Spear

Assistant Examiner—Cynthia Underwood

(74) *Attorney, Agent, or Firm*—Lambert & Associates; Adam
J. Bruno; Gary E. Lambert

(57) **CLAIM**

The ornamental design for a serving bowl, as shown and
described.

DESCRIPTION

FIG. 1 is a top perspective view of the first embodiment of the
serving bowl with the inner circular area displaying, the
smallest base configuration, which embodies my design;

FIG. 2 is a side plan view of the first embodiment of the
serving bowl with the inner circular area displaying, the
smallest base configuration;

FIG. 3 is a top plan view of the first embodiment of the serving
bowl with the inner circular area displaying, the smallest base
configuration;

FIG. 4 is a top perspective view of the second embodiment of
the serving bowl with the inner circular area displaying the
second smallest base configuration;

FIG. 5 is a side plan view of the second embodiment of the
serving bowl with the inner circular area displaying the sec-
ond smallest base configuration;

FIG. 6 is a top plan view of the second embodiment of the
serving bowl with the inner circular area displaying the sec-
ond smallest base configuration;

FIG. 7 is a top perspective view of the third embodiment of the
serving bowl with the inner circular area displaying the sec-
ond largest base configuration;

FIG. 8 is a side plan view of the third embodiment of the
serving bowl with the inner circular area displaying the sec-
ond largest base configuration;


FIG. 9 is a top plan view of the third embodiment of the
serving bowl with the inner circular area displaying the sec-
ond largest base configuration;

FIG. 10 is a top perspective view of the fourth embodiment of
the serving bowl with the inner circular area displaying the
largest base configuration;

FIG. 11 is a side plan view of the fourth embodiment of the
serving bowl with the inner circular area displaying the larg-
est base configuration; and,

FIG. 12 is a top plan view of the fourth embodiment of the
serving bowl with the inner circular area displaying the larg-
est base configuration.

1 Claim, 8 Drawing Sheets



US D602,310 S

Page 2

U.S. PATENT DOCUMENTS

D73,411	S	*	9/1927	Magee	D11/147	
2,813,509	A	*	11/1957	Bruno	119/51.01	
3,831,209	A	*	8/1974	Clingman	441/136	
D270,799	S	*	10/1983	Creske	D6/511	
4,726,553	A	*	2/1988	Wischusen, III	248/146	
D317,222	S	*	6/1991	Dodge	D1/102	
D339,429	S	*	9/1993	Reid et al.	D30/121	
5,447,764	A	*	9/1995	Langford	428/36.9	
D371,958	S	*	7/1996	Keaton	D8/374	
D383,859	S	*	9/1997	Hollington	D26/9	
D391,036	S	*	2/1998	Sotile	D1/105	
D412,106	S	*	7/1999	Kennard, IV	D8/402	
D418,018	S	*	12/1999	Winsted	D7/553.8	
D423,732	S	*	4/2000	McGee	D30/129	
D441,284	S	*	5/2001	Saur et al.	D3/264	
D465,384	S	*	11/2002	Schanzer	D7/507	
6,474,266	B1	*	11/2002	Arnett	119/256	
D507,761	S	*	7/2005	Lehman et al.	D11/164	

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12