



US00D602422S

(12) **United States Design Patent**
Laskowitz et al.

(10) **Patent No.:** **US D602,422 S**
(45) **Date of Patent:** **** Oct. 20, 2009**

(54) **TIRE**

(75) Inventors: **Ian Laskowitz**, Woodbury, CT (US);
Richard Palinkas, Northfield, CT (US)

(73) Assignee: **Chemtura Corporation**, Middlebury,
CT (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/298,667**

(22) Filed: **Dec. 10, 2007**

(51) **LOC (9) Cl.** **12-16**

(52) **U.S. Cl.** **D12/570**

(58) **Field of Classification Search** D12/568-603;
152/209.1, 209.8, 209.12, 209.18, 209.25
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D168,675 S *	1/1953	Custer	D12/596
D170,710 S *	10/1953	Nellen	D12/603
D201,238 S	5/1965	Fishman	
3,196,920 A *	7/1965	Fishman	152/209.22
3,219,090 A	11/1965	Cislo	
4,226,273 A	10/1980	Long et al.	
4,784,201 A	11/1988	Palinkas et al.	
4,832,098 A	5/1989	Palinkas et al.	
4,921,029 A	5/1990	Palinkas et al.	
4,934,425 A	6/1990	Gajewski et al.	
5,023,040 A	6/1991	Gajewski et al.	
5,077,371 A	12/1991	Singh et al.	
5,139,066 A	8/1992	Jarman	
D329,413 S	9/1992	Chandler	
5,223,599 A	6/1993	Gajewski	
5,265,659 A	11/1993	Pajtas et al.	
5,343,916 A	9/1994	Duddey et al.	
5,460,213 A	10/1995	Pajtas	
5,605,657 A	2/1997	Nybakken et al.	
5,676,900 A	10/1997	Pajtas	
D391,537 S *	3/1998	Maxwell	D12/583
D401,896 S	12/1998	Chandler et al.	
D410,603 S	6/1999	Chandler et al.	
D413,557 S *	9/1999	Bonko	D12/579

6,170,544 B1	1/2001	Hottebart
D455,996 S	4/2002	Buckley
6,681,822 B2	1/2004	Adams et al.
D498,203 S	11/2004	Shapiro et al.
D499,065 S	11/2004	Shapiro et al.
7,013,939 B2	3/2006	Rhyne et al.
D536,298 S	2/2007	Becker et al.
7,174,936 B2	2/2007	Becker et al.
7,201,194 B2	4/2007	Rhyne et al.
D548,681 S	8/2007	Becker et al.
2007/0089820 A1	4/2007	Gabrys et al.
2007/0119531 A1	5/2007	Steinke et al.
2007/0215259 A1	9/2007	Burns
2007/0267116 A1	11/2007	Rhyne et al.

FOREIGN PATENT DOCUMENTS

EP 159888 10/1985

(Continued)

Primary Examiner—Caron Veynar
Assistant Examiner—George D Kirschbaum
(74) *Attorney, Agent, or Firm*—Jaimes Sher


(57) **CLAIM**

The ornamental design for a tire, as shown and described.

DESCRIPTION

FIG. 1 is a proximal side view of a tire showing our new design;
FIG. 2. is a cross-sectional view of the tire taken along the line 2—2;
FIG. 3 is a distal side view thereof;
FIG. 4 is a cross-sectional view of the tire taken along the line 3—3;
FIG. 5 is a perspective view thereof;
FIG. 6 is a front view thereof, it being understood that the tread pattern is repeated throughout the circumference of the tire; and,
FIG. 7 is an enlarged view of the tread pattern from the front view of the design.

1 Claim, 4 Drawing Sheets



US D602,422 S

Page 2

FOREIGN PATENT DOCUMENTS					
			GB	2431383	4/2007
			WO	8905736	6/1989
			WO	9514582	6/1995
EP	245789	11/1987	WO	9718959	5/1997
EP	297628	1/1989	WO	9843833	10/1998
EP	334522	9/1989	WO	03018332	3/2003
EP	353006	1/1990	WO	2008009042	1/2008
EP	399383	11/1990			
EP	502353	9/1992			

* cited by examiner



FIG. 2




FIG. 2

FIG. 2

FIG. 1




FIG. 4




FIG. 3




FIG. 5




FIG. 6




FIG. 7