



US00D602493S

(12)

United States Design Patent

Beale

(10)

Patent No.:

US D602,493 S

(45)

Date of Patent:

** Oct. 20, 2009

(54)

INPUT DEVICE

(76)

Inventor:

Theodore Beale, 86 Baarerstrasse, Zug (CH) 6300

(**)

Term:

14 Years

(21)

Appl. No.:

29/304,106

(22)

Filed:

Feb. 25, 2008

(51)

LOC (9) Cl.

14-02

(52)

U.S. Cl.

D14/455; D14/406

(58)

Field of Classification Search

D14/454, D14/455, 456, 320, 331, 333, 334, 335, 338, D14/339, 340, 341, 342, 345, 346, 347, 387, D14/390, 391, 392, 393, 394, 395, 396, 397, D14/398, 150, 247, 248, 900, 901, 902, 402, D14/406, 426, 432, 439, 453, 457, 137, 138, D14/218, 315, 327; D13/168; D18/12.2, D18/7, 52, 24, 25, 29, 1, 2; 235/145 R; 341/22, 341/27, 28; 345/168, 169, 170, 171, 172, 345/947, 948, 163; 379/368, 915, 433.07, 379/433.06; 400/109, 110, 111, 472, 484, 400/485, 486, 487, 490, 491, 492, 494; 455/550.1, 455/556.2, 186.2, 575.1

See application file for complete search history.

D424,549 S

5/2000

Choi

D430,162 S

8/2000

Choy

D430,877 S

9/2000

Varga et al.

D433,058 S *

10/2000

Okumura et al. D18/7

D442,958 S

5/2001

Funakoshi et al.

D446,521 S

8/2001

Han et al.

D450,677 S *

11/2001

Solomita et al. D14/150

D457,884 S

5/2002

Roberts

6,396,477 B1

5/2002

Hinckley et al.

D459,359 S

6/2002

Mikan

D462,686 S

9/2002

Nakata

(Continued)

Primary Examiner—Jennifer Rivard

Assistant Examiner—Angela J Lee

(74) Attorney, Agent, or Firm—Dicke, Billig & Czaja, PLLC

(57)

CLAIM

The ornamental design for an input device, substantially as shown and described.

(56)

References Cited

U.S. PATENT DOCUMENTS

D317,153 S

5/1991

MacKenzie

D320,197 S

9/1991

Weber

5,063,376 A

11/1991

Chang

D362,695 S *

9/1995

Waldhelm D21/513

D365,551 S

12/1995

Hayashi

D367,295 S *

2/1996

Hsieh D14/454

D372,904 S

8/1996

Lo

D380,207 S *

6/1997

Wang et al. D14/399

D394,850 S

6/1998

Kitoh

5,847,695 A

12/1998

Duncan et al.

D405,073 S *

2/1999

Mayer D14/409

5,917,472 A

6/1999

Perala

D416,012 S

11/1999

Neifer

D418,501 S *

1/2000

Neifer D14/409

DESCRIPTION

FIG. 1 is a right-front perspective view of one embodiment of an input device showing the design;

FIG. 2 is a left-front perspective view thereof;

FIG. 3 is a top view thereof;


FIG. 4 is a front view thereof;

FIG. 5 is a left side view thereof; and,

FIG. 6 is a right side view thereof.

The portions shown in broken lines are for illustrative purposes only and form no part of the claimed design.

1 Claim, 3 Drawing Sheets



U.S. PATENT DOCUMENTS							
D464,350	S	10/2002	Kerestegian et al.	D523,013	S	6/2006	Twohig et al.
6,559,830	B1	5/2003	Hinckley et al.	D528,118	S	9/2006	Canavan et al.
D490,078	S	5/2004	Mak	D529,504	S	10/2006	Hughes
D513,413	S	1/2006	Chung	D533,554	S	12/2006	Sheehan et al.
D514,106	S	1/2006	Pan	D541,290	S *	4/2007	Swanson et al. D14/455
6,992,656	B2	1/2006	Hughes	D561,761	S *	2/2008	Fisher et al. D14/406
D515,579	S	2/2006	Chang	D570,856	S *	6/2008	Forester D14/456
D516,073	S *	2/2006	Boswell et al. D14/399	2001/0015718	A1	8/2001	Hinckley et al.
D519,508	S	4/2006	Canavan et al.	2003/0038824	A1	2/2003	Ryder
D520,008	S	5/2006	Huang	2003/0137491	A1	7/2003	Kuo
D521,998	S	5/2006	Hirota	2007/0046631	A1 *	3/2007	Chang 345/163
7,038,664	B2	5/2006	Danzyger et al.	2007/0211030	A1 *	9/2007	Hong et al. 345/163
				* cited by examiner			




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6