



US00D602779S

(12) **United States Design Patent**
Buogo et al.

(10) **Patent No.:** **US D602,779 S**

(45) **Date of Patent:** **** Oct. 27, 2009**

(54) **SPRAYER SHROUD**

(75) Inventors: **Alberto Buogo**, Hull (GB); **Andrea Marigo**, Mira (IT); **Mattia Scaggiante**, Mira (IT)

(73) Assignee: **Reckitt Benckiser N.V.**, Hoofddorp (NL)

(**) Term: **14 Years**

(21) Appl. No.: **29/299,799**

(22) Filed: **Jan. 4, 2008**

(30) **Foreign Application Priority Data**

Sep. 7, 2007 (EM) 000754817

(51) **LOC (9) Cl.** **09-07**

(52) **U.S. Cl.** **D9/448**

(58) **Field of Classification Search** D9/686,
D9/685, 682, 448, 435, 434; D8/51; D23/226,
D23/213; 417/411; 239/428.5, 343, 337,
239/333, 215, 120; 222/402.11, 383.3, 383.1,
222/323, 1

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D358,198 S * 5/1995 Wadsworth D23/226
- D366,692 S * 1/1996 Wadsworth D23/213
- D377,602 S * 1/1997 Wadsworth D9/448
- D381,581 S * 7/1997 Wadsworth D9/448
- D409,915 S * 5/1999 Durliat et al. D9/448
- D409,917 S * 5/1999 Wadsworth et al. D9/448

- D419,875 S * 2/2000 Wadsworth et al. D9/448
- D423,934 S * 5/2000 Brozell D9/448
- D435,448 S * 12/2000 Trepina et al. D9/448
- D442,088 S * 5/2001 Trepina et al. D9/448
- D499,024 S * 11/2004 Sweeton D9/448
- 7,032,777 B2 * 4/2006 Good et al. 222/1
- D520,872 S * 5/2006 Paas et al. D9/448
- D567,083 S * 4/2008 Welp et al. D9/448
- D569,725 S * 5/2008 Adamson et al. D9/448
- D570,215 S * 6/2008 Arminak D9/448
- D578,887 S * 10/2008 Sweeton et al. D9/448
- D579,330 S * 10/2008 Sweeton et al. D9/448
- D587,573 S * 3/2009 Sato D9/448
- D588,454 S * 3/2009 Sweeton et al. D9/448
- D588,455 S * 3/2009 Sweeton et al. D9/448

* cited by examiner

Primary Examiner—Susan Bennett Hattan

(57) **CLAIM**

The ornamental design for a sprayer shroud, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a sprayer shroud of our invention;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;


FIG. 4 is a left side elevational view thereof;

FIG. 5 is a right side elevational view thereof;

FIG. 6 is a top plan view thereof; and,

FIG. 7 is a bottom plan view thereof.

1 Claim, 1 Drawing Sheet






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : Des. 602,779 S
APPLICATION NO. : 29/299799
DATED : October 27, 2009
INVENTOR(S) : Alberto Buogo

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the Title Page Item [30], the Foreign Application Priority Data:

“Sep. 7, 2007 (EM) 000754817” should read

-- Jul. 9, 2007 (EM) 000754817 --

Signed and Sealed this

Thirteenth Day of April, 2010

A handwritten signature in black ink that reads "David J. Kappos". The signature is written in a cursive, flowing style.

David J. Kappos
Director of the United States Patent and Trademark Office