



US00D602824S

(12) **United States Design Patent**  
**Liu et al.**

(10) **Patent No.:** **US D602,824 S**  
(45) **Date of Patent:** **\*\* Oct. 27, 2009**

(54) **BRAKE FRICTION PAD**

(75) Inventors: **Weiming Liu**, Windsor (CA); **Rodney J. Silvey**, Cookeville, TN (US); **Jason Heath Mahan**, Lafayette, TN (US)

(73) Assignee: **Federal Mogul Worldwide, Inc.**, Southfield, MI (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/336,118**

(22) Filed: **Apr. 29, 2009**

**Related U.S. Application Data**

(62) Division of application No. 29/332,367, filed on Feb. 13, 2009, which is a division of application No. 29/282,913, filed on Aug. 1, 2007, now Pat. No. Des. 588,969.

(51) **LOC (9) Cl.** ..... **12-16**

(52) **U.S. Cl.** ..... **D12/180**

(58) **Field of Classification Search** ..... D12/180, D12/174, 400; D15/138-140; 72/339; 188/73.31-73.39, 188/73.43, 73.45, 218 XL, 73.1, 250 B, 250 E, 188/250 R, 251 R; 192/107 M, 107 R; 428/443; 488/1.11 W, 1.11 R

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

1,506,578 A \* 8/1924 Grandahl ..... 72/477  
1,950,262 A \* 3/1934 Norton ..... 428/443

4,056,174 A \* 11/1977 Wienand et al. .... 188/73.36  
D254,258 S \* 2/1980 Soltis et al. .... D12/180  
D255,232 S \* 6/1980 Rinker et al. .... D12/180  
D255,675 S \* 7/1980 Weiser et al. .... D12/180  
D260,014 S \* 7/1981 Sheill ..... D12/180  
D260,015 S \* 7/1981 Sheill ..... D12/180  
4,290,508 A \* 9/1981 Baum ..... 188/73.38  
4,428,463 A \* 1/1984 Burgdorf et al. .... 188/73.38  
D277,093 S \* 1/1985 Caplygin ..... D12/180  
D277,175 S \* 1/1985 Caplygin ..... D12/180

(Continued)

*Primary Examiner*—Robert M Spear

*Assistant Examiner*—Cynthia Underwood

(74) *Attorney, Agent, or Firm*—Robert L. Sterns; Dickinson Wright, PLLC

(57) **CLAIM**

The ornamental design for a brake friction pad, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a brake friction pad;

FIG. 2 is a front view thereof;


FIG. 3 is a top view thereof;

FIG. 4 is a bottom view thereof; and,

FIG. 5 is a right side elevational view thereof, the left side elevational view being a mirror image of the right side elevational view.

The broken lines form the boundaries of the claim.

**1 Claim, 2 Drawing Sheets**



# US D602,824 S

Page 2

## U.S. PATENT DOCUMENTS

4,527,669	A *	7/1985	Meyer et al.	188/73.38	7,222,701	B2 *	5/2007	Pham	188/250 G
4,823,920	A *	4/1989	Evans	188/73.34	D576,089	S *	9/2008	Jones	D12/180
4,926,978	A *	5/1990	Shibata et al.	188/73.1	D588,968	S *	3/2009	Liu et al.	D12/180
D357,444	S *	4/1995	Steinke et al.	D12/180	D588,969	S *	3/2009	Liu et al.	D12/180
D359,020	S *	6/1995	Steinke et al.	D12/180	D588,970	S *	3/2009	Liu et al.	D12/180
D368,461	S *	4/1996	Steinke et al.	D12/180	D588,971	S *	3/2009	Liu et al.	D12/180
5,799,754	A *	9/1998	Kazuro et al.	188/1.11 W	D588,972	S *	3/2009	Liu et al.	D12/180
5,875,873	A *	3/1999	Kay et al.	188/73.38	D588,973	S *	3/2009	Liu et al.	D12/180
D417,642	S *	12/1999	Ashley, Sr.	D12/180	D588,974	S *	3/2009	Liu et al.	D12/180
6,142,263	A *	11/2000	Lotfipour	188/73.37	D589,419	S *	3/2009	Liu et al.	D12/180
D507,217	S *	7/2005	Goldenberg et al.	D12/180	D590,310	S *	4/2009	Liu et al.	D12/180
7,111,709	B2 *	9/2006	Baba	188/73.37	2004/0154885	A1 *	8/2004	Gotti et al.	188/250 B
					2008/0011562	A1 *	1/2008	Hilbrandt	188/250 B

\* cited by examiner




Fig. 1




Fig. 2




Fig. 3



Fig. 4



Fig. 5