

US00D602980S

(12) **United States Design Patent**
Heaton

(10) **Patent No.:** **US D602,980 S**
(45) **Date of Patent:** **** Oct. 27, 2009**

(54) **EYEWEAR SECURING APPARATUS**

(76) Inventor: **Danny A. Heaton**, 2428 12th Ave. NE.,
Watertown, SD (US) 57201

(**) Term: **14 Years**

(21) Appl. No.: **29/317,751**

(22) Filed: **May 6, 2008**

(51) **LOC (9) Cl.** **16-06**

(52) **U.S. Cl.** **D16/339**

(58) **Field of Classification Search** D16/101,
D16/300-342; D29/109-110; D24/110.2;
351/41, 44, 51-52, 62, 158, 92, 103-123,
351/140, 153, 45-46, 155-157; 2/426-432,
2/447-449, 441, 434-437, 13, 15; D21/483,
D21/659-661; D2/866, 872, 876, 881, 891

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | | |
|-----------|-----|---------|----------------|-------|---------|
| 2,766,500 | A * | 10/1956 | Chanko | | 24/332 |
| 4,696,556 | A | 9/1987 | Perry, III | | |
| D354,759 | S * | 1/1995 | Wolff | | D16/339 |
| D354,760 | S * | 1/1995 | Wolff | | D16/339 |
| 5,675,841 | A * | 10/1997 | Jackson | | 2/175.7 |
| 5,898,472 | A | 4/1999 | Oshikawa | | |
| 5,905,560 | A | 5/1999 | Daniel | | |
| 5,924,139 | A | 7/1999 | Van Den Heuvel | | |
| D416,038 | S * | 11/1999 | Kalbach | | D16/339 |
| D435,265 | S * | 12/2000 | Landis et al. | | D16/339 |
| D456,870 | S * | 5/2002 | Suissa | | D21/804 |
| 6,397,396 | B1 | 6/2002 | Vibert | | |

| | | | | | |
|--------------|------|---------|-----------------------|-------|--------|
| 6,668,426 | B1 | 12/2003 | Morris | | |
| D517,941 | S * | 3/2006 | Stern | | D11/86 |
| 7,131,167 | B2 | 11/2006 | Stagnaro | | |
| 7,178,278 | B1 | 2/2007 | Morris | | |
| 7,229,172 | B2 | 6/2007 | Presswood, Jr. et al. | | |
| 7,243,402 | B2 * | 7/2007 | Andersen et al. | | 24/532 |
| 7,255,436 | B2 | 8/2007 | Tracy | | |
| 7,325,920 | B1 | 2/2008 | Gelfuso | | |
| 2007/0229759 | A1 | 10/2007 | Jones | | |

* cited by examiner

Primary Examiner—Raphael Barkai

(57) **CLAIM**

The ornamental design for an eyewear securing apparatus, as shown and described.

DESCRIPTION

FIG. 1 is a top plan view of an eyewear securing apparatus showing my new design;

FIG. 2 is a side elevated view of the eyewear securing apparatus;


FIG. 3 is a rear elevated view of the eyewear securing apparatus;

FIG. 4 is a front elevated view of the eyewear securing apparatus; and,

FIG. 5 is a side elevated view of the eyewear securing apparatus.

The broken lines shown in FIG. 5 are for illustrative purposes and form no part of the claimed design.

1 Claim, 2 Drawing Sheets






FIG. 1

FIG. 3





FIG. 4




FIG. 2




FIG. 5