



US00D603200S

(12) **United States Design Patent**  
**Kelldorf**

(10) **Patent No.:** **US D603,200 S**

(45) **Date of Patent:** **\*\* \*Nov. 3, 2009**

(54) **JACK STAND COVER**

(76) Inventor: **Mitchell T. Kelldorf**, 16114 N. 81<sup>st</sup> St.,  
Scottsdale, AZ (US) 85260

(\*) Notice: This patent is subject to a terminal disclaimer.

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/193,348**

(22) Filed: **Nov. 10, 2003**

(51) **LOC (9) Cl.** ..... **06-13**

(52) **U.S. Cl.** ..... **D6/610**

(58) **Field of Classification Search** ..... D6/610-612,  
D6/615-617, 334, 370, 374, 380, 502; 297/228.1,  
297/228.11, 229, 219.12, 220, 224; 150/154,  
150/158, 155

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

1,353,866	A	9/1920	Vondree	
2,375,819	A	5/1945	Reid	
2,484,382	A	10/1949	Kennedy	
2,787,310	A	4/1957	Zerbe	
3,022,605	A	2/1962	Reynolds	
3,368,601	A	2/1968	Gantert-Merz	
4,579,066	A	4/1986	Zeigler	108/157
4,580,750	A	4/1986	Spellman	248/164
4,708,183	A	11/1987	Figueroa	150/52 R
D303,473	S *	9/1989	Sheinman	D6/611
D307,995	S *	5/1990	Kelldorf	D6/610
5,165,633	A	11/1992	Effa et al.	248/164
5,462,103	A	10/1995	Effa	150/154
D402,845	S *	12/1998	Hanzok	D6/610
D413,038	S *	8/1999	Trimarchi	D6/610
D428,296	S *	7/2000	Kelldorf	D6/610
6,354,661	B1 *	3/2002	Moss	297/229
6,457,423	B1	10/2002	Gordon	108/90
D475,882	S *	6/2003	Gaps	D6/610
D481,887	S *	11/2003	Ellwanger	D6/610

D502,360	S *	3/2005	Kautz	D6/610
6,863,100	B2 *	3/2005	Neal et al.	150/154
D532,561	S *	11/2006	La Luzerne	D6/610
D539,588	S *	4/2007	Picache	D6/610
D572,517	S *	7/2008	Lerma et al.	D6/610

\* cited by examiner

*Primary Examiner*—T. Chase Nelson

*Assistant Examiner*—David G Muller

(74) *Attorney, Agent, or Firm*—Novak Druce + Quigg LLP

(57) **CLAIM**

The ornamental design for a jack stand cover, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a jack stand cover configured according to the present invention;

FIG. 2 is a front elevation view of the jack stand cover of FIG. 1, the rear elevation view being identical.

FIG. 3 is a right side elevation view of the jack stand cover of FIG. 1, the left side elevation view being identical;

FIG. 4 is a top plan view of the jack stand cover of FIG. 1;

FIG. 5 is a bottom plan view of the jack stand cover of FIG. 1;

FIG. 6 is a perspective view of the jack stand cover of FIG. 1 arranged with a tray resting thereupon. The tray shown in broken lines forms no part of the claimed design.

FIG. 7 is a front elevation view of the jack stand cover of FIG. 6, the rear elevation view being identical.;


FIG. 8 is a right side elevation view of the jack stand cover of FIG. 6, the left side elevation view being identical;

FIG. 9 is a top plan view of the jack stand cover of FIG. 6; and,

FIG. 10 is a bottom plan view of the jack stand cover of FIG. 6.

The broken line showing of parts of the drawings is included for the purpose of illustrating use and environment and forms no part of the claimed design.

**1 Claim, 4 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10