



US00D603237S

(12) **United States Design Patent**  
**Corredor-Londoño**

(10) **Patent No.:** **US D603,237 S**

(45) **Date of Patent:** **\*\* Nov. 3, 2009**

(54) **SCREW CAP OPENER**

(76) **Inventor:** **Pablo Enrique Corredor-Londoño,**  
1585 E. 11 Ave., Hialeah, FL (US) 33010

(\*\*) **Term:** **14 Years**

(21) **Appl. No.:** **29/325,729**

(22) **Filed:** **Oct. 4, 2008**

(51) **LOC (9) Cl.** ..... **07-99**

(52) **U.S. Cl.** ..... **D8/38; D8/18**

(58) **Field of Classification Search** ..... D8/14,  
D8/16-19, 33-43, 88, 89; 7/151; 81/3.07,  
81/3.09, 3.22, 3.29, 3.35, 3.37, 3.4, 3.55  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D208,875 S *	10/1967	Fiegel .....	D8/18
D228,224 S *	8/1973	Schlanger .....	D8/18
D269,405 S *	6/1983	Ehrlich .....	D8/37
D276,787 S *	12/1984	Burns .....	D8/18
D303,345 S *	9/1989	Sawatsky et al. ....	D8/40
D395,384 S *	6/1998	Farfalli .....	D8/38
D406,025 S *	2/1999	Hung .....	D8/38
D432,376 S *	10/2000	Sutter et al. ....	D8/38
D437,538 S *	2/2001	Corredor et al. ....	D8/38
D440,134 S *	4/2001	Brix-Hansen .....	D8/33
D440,135 S *	4/2001	Vaught .....	D8/40
D458,523 S *	6/2002	Newton, Sr. ....	D8/17
D462,000 S *	8/2002	Hightower .....	D8/40
D464,240 S *	10/2002	Vaught .....	D8/38
D471,410 S *	3/2003	Yuds .....	D8/17

D482,251 S *	11/2003	Kelleghan .....	D8/40
D498,997 S *	11/2004	Corredor et al. ....	D8/38
D501,382 S *	2/2005	Macauley et al. ....	D8/18
D564,851 S *	3/2008	Fraga .....	D8/98
D568,127 S *	5/2008	Oas .....	D8/34
D578,364 S *	10/2008	Corredor-Londono .....	D8/33
2001/0027704 A1 *	10/2001	Kee .....	81/3.48

\* cited by examiner

*Primary Examiner*—Caron Veynar

*Assistant Examiner*—Garth Rademaker

(74) *Attorney, Agent, or Firm*—Albert Bordas, P.A.

(57) **CLAIM**

The ornamental design for a screw cap opener, as shown and described.

**DESCRIPTION**

FIG. 1 is a top plan view of a screw cap opener;

FIG. 2 is a left-side elevational view thereof, the right-side elevational view being a mirror image thereof;

FIG. 3 is a front elevational view thereof;



FIG. 4 is an isometric view of my design for a screw cap opener;

FIG. 5 is an enlarged view of a portion of FIG. 3 that illustrates twenty-four teeth of the screw cap opener; and,

FIG. 6 is an enlarged view of a portion of FIG. 4 that illustrates twenty-four teeth of the screw cap opener.

The broken lines are for environmental purposes only and form no part of the claimed design.

**1 Claim, 2 Drawing Sheets**






Fig. 1



Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6