



US00D603334S

(12) **United States Design Patent**
Suzuki

(10) **Patent No.:** **US D603,334 S**
(45) **Date of Patent:** **** Nov. 3, 2009**

(54) **BATTERY CHARGER FOR RADIO CONTROL TOYS**

D446,185 S * 8/2001 Saastamoinen et al. D13/108
D562,231 S * 2/2008 Osiecki et al. D13/107
D564,960 S * 3/2008 Sacco et al. D13/107

(75) Inventor: **Masayuki Suzuki**, Atsugi (JP)

* cited by examiner

(73) Assignee: **Kyosho Corporation**, Tokyo (JP)

Primary Examiner—Jennifer Rivard

(**) Term: **14 Years**

Assistant Examiner—Rosemary K Tarcza

(74) *Attorney, Agent, or Firm*—Nixon & Vanderhye P.C.

(21) Appl. No.: **29/306,185**

(57) **CLAIM**

(22) Filed: **Apr. 3, 2008**

The ornamental design for a “battery charger for radio control toys,” as shown and described.

(30) **Foreign Application Priority Data**

Oct. 18, 2007 (JP) 2007-028519

DESCRIPTION

(51) **LOC (9) Cl.** **13-02**

(52) **U.S. Cl.** **D13/108**

(58) **Field of Classification Search** D13/107–110,
D13/118–119, 184; D14/251, 253, 432,
D14/434; 320/107–115

FIG. 1 is a front perspective view of a battery charger for radio control toys which embodies my new and original design therefor;

FIG. 2 is a left side elevation view thereof;

FIG. 3 is a right side elevation view thereof;

FIG. 4 is a top plan view of thereof;

FIG. 5 is bottom plan view thereof;

FIG. 6 is a rear elevation view thereof;

FIG. 7 is a front elevation view thereof; and,

FIG. 8 is a rear perspective view thereof.


See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D339,563 S * 9/1993 Usami D13/107
D411,823 S * 7/1999 Jacobs et al. D13/107
D436,596 S * 1/2001 Ito et al. D14/434
D442,544 S * 5/2001 Ku D13/107

1 Claim, 8 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8