



US00D603464S

(12) **United States Design Patent**
Roos et al.

(10) **Patent No.:** **US D603,464 S**

(45) **Date of Patent:** **** Nov. 3, 2009**

(54) **ILLUMINATED TOY LIGHT SABER**

(75) Inventors: **Christian Roos**, Mañosca y Fco. Cruz
Miranda Falconi 28, Quito (EC) EC1701;
Christopher Kelly, 606 Wildwood Rd.,
Sellersburg, IN (US) 47172; **Lori Forest**,
1800 Dutch La. #96, Jeffersonville, IN
(US) 47130

(73) Assignees: **Christopher Kelly**, Sellersburg, IN
(US); **Lori Forest**, Jeffersonville, IN
(US); **Christian Roos**, Quito (EC)

(**) Term: **14 Years**

(21) Appl. No.: **29/339,269**

(22) Filed: **Jun. 26, 2009**

(51) **LOC (9) Cl.** **21-01**

(52) **U.S. Cl.** **D21/567**

(58) **Field of Classification Search** D21/483,
D21/567, 568; D26/37, 38, 43, 46, 47, 48;
446/219, 220, 405, 473; 362/84, 102, 186,
362/194, 253, 277

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,988,961	A *	1/1935	Prideaux	362/194
3,798,437	A *	3/1974	Sarbacher	362/189
D255,590	S *	6/1980	Berling et al.	D21/568
4,208,701	A *	6/1980	Schock	362/102
D257,635	S *	12/1980	Carreiro	D21/568
4,328,966	A *	5/1982	Miyamoto	446/473
4,364,104	A *	12/1982	Holahan et al.	362/186
4,678,450	A *	7/1987	Scolari et al.	446/405
5,219,163	A *	6/1993	Watson	446/473
5,279,513	A *	1/1994	Connelly	446/219
5,295,926	A *	3/1994	Tanabe	446/473

5,321,591	A *	6/1994	Cimock et al.	362/186
5,324,227	A *	6/1994	Yuh-Ching	446/473
D370,276	S *	5/1996	Davis	D26/37
5,630,998	A *	5/1997	Parsons	446/473
D389,364	S *	1/1998	Vallarella et al.	D26/38
5,947,789	A *	9/1999	Chan	446/219
6,036,576	A *	3/2000	Colon, Jr.	446/473
D425,144	S *	5/2000	McGaffigan	D21/567
D457,579	S *	5/2002	Yiu	D21/568
6,770,002	B2 *	8/2004	Aigotti	446/219
7,476,141	B2 *	1/2009	Hom	446/220
2007/0270077	A1 *	11/2007	Woodhouse	446/473
2008/0014834	A1 *	1/2008	Woolston	446/473
2008/0051003	A1 *	2/2008	Hom	446/473

* cited by examiner

Primary Examiner—Holly H Baynham
Assistant Examiner—Cynthia M Chin

(57) **CLAIM**

We claim the ornamental design for an illuminated toy light saber, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an illuminated toy light saber, showing our new design;

FIG. 2 is an enlarged perspective view thereof;

FIG. 3 is a top plan view thereof;

FIG. 4 is a bottom plan view thereof;

FIG. 5 is a rear elevational view thereof;


FIG. 6 is a front elevational view thereof;

FIG. 7 is a right-side elevational view thereof; and,

FIG. 8 is a left-side elevational view thereof.

The saber portion of FIGS. 2 and 5–8 are shown broken away for the ease and clarity of illustration.

1 Claim, 2 Drawing Sheets






FIG. 3




FIG. 4




FIG. 2

FIG. 1




FIG. 5




FIG. 6




FIG. 7




FIG. 8