



US00D603520S

(12) **United States Design Patent**
Ninomiya et al.

(10) **Patent No.:** **US D603,520 S**

(45) **Date of Patent:** **** Nov. 3, 2009**

(54) **ULTRASONIC PROBE CONNECTOR**

(75) Inventors: **Atsushi Ninomiya**, Tokyo (JP); **Yoshimi Kasai**, Tokyo (JP); **Nobutaka Miyamoto**, Tokyo (JP)

(73) Assignee: **Hitachi Medical Corporation**, Tokyo (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/311,201**

(22) Filed: **Jan. 15, 2009**

(30) **Foreign Application Priority Data**

Jul. 17, 2008 (JP) 2008-018454

(51) **LOC (9) Cl.** **24-01**

(52) **U.S. Cl.** **D24/187**

(58) **Field of Classification Search** D24/144,
D24/158, 186, 187; 600/407, 439, 443, 446,
600/459, 461; D10/57, 60, 78; 128/660.01;
310/17, 334; 378/98.7, 98.8, 189
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D327,740 S * 7/1992 Arioka et al. D24/186
- D402,904 S * 12/1998 Sugimoto et al. D10/57
- D402,905 S * 12/1998 Kanza et al. D10/57
- D409,926 S * 5/1999 Lin et al. D10/57
- D410,857 S * 6/1999 Barthelemy et al. D10/57
- D416,817 S * 11/1999 Lin D10/57
- D419,461 S * 1/2000 Lin D10/57
- D419,462 S * 1/2000 Lin D10/57
- D419,893 S * 2/2000 Cheng D10/57
- D445,699 S * 7/2001 Lin D10/57
- D457,443 S * 5/2002 Riester-Freudenmann ... D10/57
- D460,006 S * 7/2002 Greubel et al. D10/57

- D504,625 S * 5/2005 Crossley et al. D10/57
- D509,154 S * 9/2005 Tomioka et al. D10/57
- D553,249 S * 10/2007 Wakisaka et al. D24/186
- D566,284 S * 4/2008 Kitayama et al. D24/186

* cited by examiner

Primary Examiner—T. Chase Nelson

Assistant Examiner—Mark Cavanna

(74) *Attorney, Agent, or Firm*—Antonelli, Terry, Stout & Kraus, LLP.

(57) **CLAIM**

The ornamental design for ultrasonic probe connector, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an ultrasonic probe connector showing our new design;

FIG. 2 is a front view thereof with explanatory cut lines 8—8 and 9—9;

FIG. 3 is a right side view thereof with explanatory cut lines 10—10;

FIG. 4 is a left side view thereof;

FIG. 5 is a top plan view thereof;

FIG. 6 is a bottom view thereof;

FIG. 7 is a rear view thereof;

FIG. 8 is a cross sectional view taken along 8—8 omitting inner mechanisms;

FIG. 9 is a cross sectional view taken along 9—9 omitting inner mechanisms;

FIG. 10 is a cross sectional view taken along 10—10 omitting inner mechanisms; and,

FIG. 11 is a perspective view showing the knob in turn position.

1 Claim, 6 Drawing Sheets




FIG. 1




FIG. 2





FIG. 3

10 ←



10 ←

FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11

