



US00D603533S

(12) **United States Design Patent**
Gleeson

(10) **Patent No.:** **US D603,533 S**

(45) **Date of Patent:** **** Nov. 3, 2009**

(54) **MOISTURE BARRIER**

(75) Inventor: **James Gleeson**, North Curl Curl (AU)

(73) Assignee: **James Hardie International Finance B.V.**, Amsterdam (NL)

(**) Term: **14 Years**

(21) Appl. No.: **29/324,747**

(22) Filed: **Sep. 19, 2008**

(30) **Foreign Application Priority Data**

Mar. 11, 2008 (AU) 2008011418

(51) **LOC (9) Cl.** **25-01**

(52) **U.S. Cl.** **D25/125; D25/163**

(58) **Field of Classification Search** 405/38,
405/63; 52/408, 409, 410, 411, 412, 413,
52/169.14; D25/138, 125, 163

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | |
|--------------|------|---------|-------------------|----------|
| 331,469 | A | 12/1885 | Baker | |
| 1,440,358 | A | 12/1922 | Whetstone | |
| D216,836 | S * | 3/1970 | Faulkner et al. | D25/125 |
| D234,437 | S * | 3/1975 | Cralk | D25/125 |
| D275,705 | S | 9/1984 | Gabriel | D25/73 |
| 5,473,847 | A | 12/1995 | Crookston | 52/302.1 |
| 5,747,142 | A | 5/1998 | Bleasdale | 428/167 |
| 6,279,284 | B1 * | 8/2001 | Moras | 52/408 |
| D448,488 | S | 9/2001 | Chaffiotte et al. | D24/219 |
| 6,298,620 | B1 | 10/2001 | Hatzinikolas | 52/302.1 |
| 6,355,333 | B1 | 3/2002 | Waggoner et al. | 428/174 |
| D456,911 | S | 5/2002 | Janesky | D25/119 |
| 6,449,915 | B1 | 9/2002 | Park | 52/407.1 |
| 6,672,016 | B2 * | 1/2004 | Janesky | 52/169.5 |
| 6,695,535 | B1 * | 2/2004 | Lazes | 405/63 |
| 6,701,685 | B2 * | 3/2004 | Rippey | 52/408 |
| 6,802,668 | B2 | 10/2004 | Parker | 405/49 |
| D498,856 | S | 11/2004 | Froech | D25/157 |
| 6,990,775 | B2 | 1/2006 | Koester | 52/302.1 |
| 2003/0126810 | A1 * | 7/2003 | Brunson et al. | 52/169.5 |

| | | | | |
|--------------|------|---------|---------------|-----------|
| 2004/0226238 | A1 | 11/2004 | Haapiainen | 52/302.1 |
| 2006/0005509 | A1 | 1/2006 | Yohnke et al. | 52/782.1 |
| 2007/0130849 | A1 * | 6/2007 | Langer et al. | 52/169.14 |

FOREIGN PATENT DOCUMENTS

| | | |
|----|----------------|---------|
| CA | 2244625 | 2/2000 |
| EP | 0127824 | 12/1984 |
| EP | 0373017 | 6/1990 |
| EP | 1243714 | 9/2002 |
| JP | 07279275 | 10/1995 |
| JP | 8109686 | 4/1996 |
| JP | 8267624 | 10/1996 |
| JP | 2000001944 | 1/2000 |
| JP | 2000017751 | 1/2000 |
| JP | 2000336814 | 12/2000 |
| JP | 2001-227100 | 8/2001 |
| JP | 2003-239408 | 8/2003 |
| JP | 3733370 | 1/2006 |
| WO | WO 03/089726 | 10/2003 |
| WO | WO 2004/092494 | 10/2004 |

* cited by examiner

Primary Examiner—Doris Clark

(74) *Attorney, Agent, or Firm*—Gardere Wynne Sewell LLP

(57) **CLAIM**


The ornamental design for a moisture barrier, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a moisture barrier;
FIG. 2 is a front view of the moisture barrier shown in FIG. 1;
FIG. 3 is a back view of the moisture barrier shown in FIG. 1;
FIG. 4 is a side view of the moisture barrier shown in FIG. 1 having a mirrored side not shown; and,
FIG. 5 is an end view of the moisture barrier shown in FIG. 1 having a mirrored end not shown.

For FIGS. 1–5, lines shown as broken are for illustrative purposes only, showing the environment, and form no part of the claimed design.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5