



US00D603786S

(12) **United States Design Patent**
Marella

(10) **Patent No.:** **US D603,786 S**
(45) **Date of Patent:** **** Nov. 10, 2009**

(54) **TIRE TREAD**

(75) Inventor: **Anthony Marella**, Wadsworth, OH (US)

(73) Assignee: **Bridgestone Corporation** (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/337,050**

(22) Filed: **May 14, 2009**

(51) **LOC (9) Cl.** **12-15**

(52) **U.S. Cl.** **D12/584**

(58) **Field of Classification Search** D12/515-518,
D12/547-550, 553, 568, 581-585, 588, 597,
D12/600-603, 900-901; 152/209.1, 209.8-209.18,
152/209.25-209.28
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D182,941 S	5/1958	Wilson	
D350,507 S *	9/1994	Helluin	D12/584
D404,694 S *	1/1999	Himuro et al.	D12/585
D413,844 S *	9/1999	Graas	D12/585
6,123,130 A	9/2000	Himuro et al.	
D451,068 S	11/2001	Heinen et al.	
D451,862 S *	12/2001	Graas et al.	D12/585
D453,730 S	2/2002	Weber	
D454,535 S	3/2002	Kemp, Jr.	
D455,999 S	4/2002	Graas	
D457,855 S	5/2002	Bawin et al.	
D471,148 S	3/2003	Heinen	
D471,860 S	3/2003	Murata	
D472,202 S	3/2003	Gillard	
D477,564 S	7/2003	Leynaert et al.	
D482,323 S *	11/2003	Corbin et al.	D12/584
D483,320 S	12/2003	Janajreh et al.	
D483,322 S	12/2003	Knowles et al.	
D483,323 S	12/2003	Williams	
D491,133 S *	6/2004	Tahira	D12/585
D497,143 S	10/2004	Lee et al.	

D497,144 S *	10/2004	Lassan et al.	D12/584
D508,891 S	8/2005	Bonhomme et al.	
D509,787 S	9/2005	Okubo	
D512,012 S	11/2005	Delu et al.	
D512,013 S	11/2005	Delu et al.	
D515,020 S	2/2006	Fukunaga	
D534,484 S	1/2007	Feider et al.	
D534,485 S	1/2007	Nakamura	
D534,486 S	1/2007	Kuroda et al.	
D536,663 S	2/2007	Heinen et al.	
D537,773 S	3/2007	Motta et al.	
D540,247 S	4/2007	Lhospitalier	
D540,248 S	4/2007	Lhospitalier	
D540,249 S	4/2007	Lo	
D541,733 S	5/2007	Lhospitali	

(Continued)

Primary Examiner—Stacia Cadmus

(74) *Attorney, Agent, or Firm*—Thomas R. Kingsbury

(57) **CLAIM**

The ornamental design for a tire tread, as shown and described.

DESCRIPTION

FIG. 1 is a side perspective view of a tire tread showing our new design, it being understood that the tread pattern is repeated throughout the circumference of the tire tread, the opposite side being the same as that shown;



FIG. 2 is a front elevational view thereof the opposite side being identical thereto;

FIG. 3 is a side elevational view of the right side thereof, the opposite side being identical thereto; and,

FIG. 4 is an enlarged fragmentary front elevational view thereof.

The broken lines defining the tire sidewall, inner bead, and the peripheral boundary between the claimed tire tread and sidewall are for illustrative purposes only and form no part of the claimed design.

1 Claim, 4 Drawing Sheets



US D603,786 S

Page 2

U.S. PATENT DOCUMENTS				
D545,756 S	7/2007	Feider et al.		
D547,717 S *	7/2007	Yamane et al.	D12/585	
7,249,622 B2	7/2007	Roedseth		
D557,655 S	12/2007	Thiebaud		
D558,126 S	12/2007	Shavers et al.		
D559,170 S	1/2008	Fukunaga		
D559,774 S *	1/2008	Kurata	D12/585	* cited by examiner
D560,598 S *	1/2008	Heinen et al.	D12/584	
D568,234 S	5/2008	Shinohara et al.		
D584,217 S	1/2009	Scheuren et al.		
D584,221 S *	1/2009	Himuro	D12/584	
D585,817 S *	2/2009	Frappart	D12/584	
D591,223 S *	4/2009	Missik-Gaffney et al. ..	D12/584	




FIG-1




FIG-2




FIG-3




FIG-4