



US00D603915S

(12) **United States Design Patent**
Golesh et al.

(10) **Patent No.:** **US D603,915 S**

(45) **Date of Patent:** **** *Nov. 10, 2009**

(54) **DUMBBELL WEIGHT PLATE**

7,172,536 B2 * 2/2007 Liu 482/108

(75) Inventors: **Eric D. Golesh**, Arvada, CO (US);
Jeffrey A. Nitta, Broomfield, CO (US)

(Continued)

FOREIGN PATENT DOCUMENTS

(73) Assignee: **Nautilus, Inc.**, Vancouver, WA (US)

CN	2430184	Y	5/2001
FR	1468902		4/1967
SU	1659073		6/1991
SU	1780780		12/1992

(**) Term: **14 Years**

(21) Appl. No.: **29/302,700**

(22) Filed: **Jan. 23, 2008**

OTHER PUBLICATIONS

(51) **LOC (9) Cl.** **21-02**

(52) **U.S. Cl.** **D21/680**

(58) **Field of Classification Search** D21/662,
D21/680, 681, 682, 683, 684, 694; 482/106,
482/107, 108

“Nautilus Home Health & Fitness Catalog”, catalog, Nautilus, Inc.,
pp. 1-56 (2004).
U.S. Appl. No. 29/329,039, filed Dec. 8, 2008, Gettle.
U.S. Appl. No. 12/359,181, filed Jan. 23, 2009, Golesh et al.

See application file for complete search history.

Primary Examiner—Philip S Hyder
(74) *Attorney, Agent, or Firm*—Dorsey & Whitney LLP

(56) **References Cited**

(57) **CLAIM**

U.S. PATENT DOCUMENTS


The ornamental design for a dumbbell weight plate, as shown
and described.

470,815	A	3/1892	Barton	
3,771,785	A	11/1973	Speyer	
D230,752	S *	3/1974	Speyer D21/681
3,913,908	A	10/1975	Speyer	
5,749,814	A	5/1998	Chen	
5,839,997	A	11/1998	Roth et al.	
6,039,678	A	3/2000	Dawson	
6,099,442	A	8/2000	Krull	
6,322,481	B1	11/2001	Krull	
6,402,666	B2	6/2002	Krull	
6,416,446	B1	7/2002	Krull	
6,422,979	B1	7/2002	Krull	
6,669,606	B2	12/2003	Krull	
6,719,674	B2	4/2004	Krull	
6,749,547	B2	6/2004	Krull	
6,855,097	B2	2/2005	Krull	
7,018,325	B2 *	3/2006	Shifferaw 482/104
7,077,790	B1 *	7/2006	Krull 482/106
7,077,791	B2	7/2006	Krull	
D528,611	S *	9/2006	Flick et al. D21/681
7,121,988	B2 *	10/2006	Walkerdine 482/106
7,153,244	B2	12/2006	Towley, III et al.	
D536,752	S *	2/2007	Walkerdine D21/681

DESCRIPTION

FIG. 1 is a front isometric view of a dumbbell weight plate of
the present invention;
FIG. 2 is a back isometric view of the dumbbell weight plate
of FIG. 1;
FIG. 3 is a front elevation view of the dumbbell weight plate
of FIG. 1;
FIG. 4 is a top view of the dumbbell weight plate of FIG. 1;
FIG. 5 is a left elevation view of the dumbbell weight plate of
FIG. 1 with the right elevation view a mirror image of the left
elevation view;
FIG. 6 is a back elevation view of the dumbbell weight plate
of FIG. 1; and,
FIG. 7 is a bottom view of the dumbbell weight plate of FIG.
1.

1 Claim, 3 Drawing Sheets



US D603,915 S

Page 2

U.S. PATENT DOCUMENTS							
			7,413,533	B2 *	8/2008	Lin 482/108
			7,452,312	B2	11/2008	Liu	
D540,405	S	4/2007	Crawford et al.				
D540,894	S *	4/2007	Crawford et al.	D21/681			
7,261,678	B2 *	8/2007	Crawford et al.	482/107			
7,285,078	B1 *	10/2007	Liu	482/108		
7,387,597	B2	6/2008	Krull				

* cited by examiner




Fig. 1




Fig. 2



Fig. 4




Fig. 3



Fig. 5




Fig. 6




Fig. 7