



US00D603957S

(12) **United States Design Patent**  
**Sato et al.**

(10) **Patent No.:** **US D603,957 S**  
(45) **Date of Patent:** **\*\* Nov. 10, 2009**

(54) **INFUSION SOLUTION BAG**

D567,940 S \* 4/2008 Inoue et al. .... D24/118

(75) Inventors: **Daisuke Sato**, Tokushima (JP);  
**Yoshitaka Motoki**, Tokushima (JP)

FOREIGN PATENT DOCUMENTS

AU	320129 S	7/2008
AU	320622 S	8/2008
CN	200530168353.4	1/2007
CN	200730008714.8	4/2008
CN	200730008715.2	4/2008
KR	30-0468714	11/2007

(73) Assignee: **Otsuka Pharmaceutical Factory, Inc.**,  
Naruto-shi (JP)

(\*\*) Term: **14 Years**

OTHER PUBLICATIONS

(21) Appl. No.: **29/319,956**

Translation of Korean Office Action dated Mar. 18, 2009 (2 pages).

(22) Filed: **Jun. 18, 2008**

\* cited by examiner

(30) **Foreign Application Priority Data**

Dec. 19, 2007 (JP) ..... 2007-034797

*Primary Examiner*—T. Chase Nelson

*Assistant Examiner*—David G Muller

(74) *Attorney, Agent, or Firm*—Sughrue Mion, PLLC

(51) **LOC (9) Cl.** ..... **24-02**

(57) **CLAIM**

(52) **U.S. Cl.** ..... **D24/118**

The ornamental design for a infusion solution bag, as shown and described.

(58) **Field of Classification Search** ..... D24/118,  
D24/127, 108, 128, 111; 604/317, 327, 408,  
604/403, 108, 339, 92, 415, 410; 128/DIG. 24;  
383/22, 23, 35; D9/709, 696; 206/219; 424/663  
See application file for complete search history.

**DESCRIPTION**

FIG. 1 is a perspective view of the infusion solution bag of the present invention;

(56) **References Cited**

U.S. PATENT DOCUMENTS

D298,567 S *	11/1988	Morris	.....	D24/118
5,200,200 A *	4/1993	Veech	.....	424/663
D400,253 S *	10/1998	Niedospial et al.	.....	D24/118
D407,816 S *	4/1999	Barney et al.	.....	D24/118
6,613,036 B1 *	9/2003	Farmer et al.	.....	604/408
6,684,414 B1 *	2/2004	Rehrig	.....	604/317
6,773,425 B1 *	8/2004	Tamari	.....	604/403
D539,904 S *	4/2007	Inoue et al.	.....	D24/118
D552,234 S *	10/2007	Inoue et al.	.....	D24/118
D552,235 S *	10/2007	Inoue et al.	.....	D24/118
D555,787 S *	11/2007	Inoue et al.	.....	D24/118
D560,799 S *	1/2008	Inoue et al.	.....	D24/118

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;

FIG. 4 is a top plain view thereof;

FIG. 5 is a bottom plain view thereof;

FIG. 6 is a left side elevational view thereof;

FIG. 7 is a right side elevational view thereof;

FIG. 8 is a reference front elevational view thereof showing the invention in use; and,

FIG. 9 is a reference left side elevational view thereof showing the invention in use.

The gray colored portion is an aluminum laminated film.

**1 Claim, 4 Drawing Sheets**



FIG. 1






FIG.2




FIG.3




FIG.4




FIG.5




FIG.6




FIG.7



FIG.8




FIG.9

