



US00D604084S

(12) **United States Design Patent**
Gokhale

(10) **Patent No.:** **US D604,084 S**

(45) **Date of Patent:** **** Nov. 17, 2009**

(54) **CUSHION DEVICE**

(75) **Inventor:** **Esther Gokhale**, 881 Tolman Dr.,
Stanford, CA (US) 94305

(73) **Assignee:** **Esther Gokhale**, Stanford, CA (US)

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/314,826**

(22) **Filed:** **May 1, 2009**

Related U.S. Application Data

(63) Continuation-in-part of application No. 11/731,699,
filed on Mar. 29, 2007, now Pat. No. 7,540,564.

(51) **LOC (9) Cl.** **06-09**

(52) **U.S. Cl.** **D6/601**

(58) **Field of Classification Search** D6/500,
D6/502, 595-601, 604, 605; 5/630, 632,
5/636, 648, 652, 653, 655.3, 655.9, 657;
D21/803, 809; D24/183

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,007,985 A	11/1911	Smith	297/284.7
D216,689 S *	3/1970	Isogai	D6/502
D226,795 S *	5/1973	Johnson	D6/596
4,676,550 A	6/1987	Neve De Mevergnies	297/353
4,945,589 A *	8/1990	Carey	5/653
5,027,795 A	7/1991	Kato	601/15
D366,383 S *	1/1996	Briegleb	D6/601
5,481,771 A	1/1996	Burk, IV	5/636
D407,937 S *	4/1999	Klimenko	D6/596
D414,644 S *	10/1999	Hsu et al.	D6/596
D417,984 S *	12/1999	Sand	D6/500

6,260,921 B1	7/2001	Chu et al.	297/284.4
6,305,040 B1	10/2001	Myler	5/636
6,364,414 B1	4/2002	Specht	297/410
D487,371 S *	3/2004	Ward et al.	D6/601
6,807,696 B2	10/2004	Magistretti	5/633
6,921,372 B2	7/2005	Shin	601/134
D529,326 S *	10/2006	Martin et al.	D6/601
2002/0130541 A1	9/2002	Koo	297/284.7
2005/0102756 A1 *	5/2005	Martin	5/636
2005/0125901 A1	6/2005	Nichols	5/636

FOREIGN PATENT DOCUMENTS

GB 2107576 A 5/1983

* cited by examiner

Primary Examiner—Janice E Seeger

Assistant Examiner—Mary Ann Calabrese

(74) *Attorney, Agent, or Firm*—JAG Patent Services LLC

(57) **CLAIM**

I claim the ornamental design for cushion device, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of cushion device showing my new design;

FIG. 2 is a front perspective view of cushion device thereof;

FIG. 3 is a rear view of cushion device in same position thereof;


FIG. 4 is a left side view of cushion device thereof;

FIG. 5 is a right side being a mirror image of the left side thereof.;

FIG. 6 is a bottom view of cushion device thereof; and,

FIG. 7 is a top view of cushion device thereof.

1 Claim, 5 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7