

US00D604141S

(12) **United States Design Patent**
Reed et al.

(10) **Patent No.:** **US D604,141 S**

(45) **Date of Patent:** **** Nov. 17, 2009**

(54) **HANDLE**

(75) Inventors: **William A. Reed**, Cedarburg, WI (US);
Jennifer U. Straszewski, Mequon, WI
(US); **Thomas W. Rand**, Cedarburg, WI
(US); **Joseph H. Zyduck**, Mukwonago,
WI (US)

(73) Assignee: **U-Line Corporation**, Milwaukee, WI
(US)

(**) Term: **14 Years**

(21) Appl. No.: **29/248,769**

(22) Filed: **Aug. 31, 2006**

(51) **LOC (9) Cl.** **08-06**

(52) **U.S. Cl.** **D8/313**

(58) **Field of Classification Search** D8/300,
D8/315, 316, 317, 318, 319, 320, DIG. 1,
D8/313, 314; 16/110.1, 416, 415; 312/330.1,
312/348.4, 334.4, 348.1, 348.6, 320; D6/510;
D15/81, 82, 85, 89

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,976,118	A *	10/1934	Cruikshank	16/416
2,149,742	A *	3/1939	Miller	52/717.03
2,499,299	A *	2/1950	Curran	217/65
D175,816	S *	10/1955	Winer	D8/314
2,793,386	A *	5/1957	Muhlhauser	16/416
2,842,420	A *	7/1958	Hansen et al.	312/348.6
3,098,686	A *	7/1963	Benoit	312/348.6
3,117,339	A *	1/1964	Vigna	16/416
3,416,850	A *	12/1968	Johnson et al.	312/348.1
3,646,634	A *	3/1972	Fusselman	16/416
4,379,603	A *	4/1983	Johnson et al.	312/348.6
4,440,461	A *	4/1984	Powell et al.	312/334.8
D288,639	S *	3/1987	Johansson	D6/448
4,732,430	A *	3/1988	Byrns	312/330.1
D304,156	S *	10/1989	Puente, Jr.	D8/314
D337,932	S	8/1993	Reed et al.		
5,466,062	A *	11/1995	McPherson et al.	312/348.6

D365,224	S *	12/1995	Pohlman	D6/445
5,496,105	A *	3/1996	Czarnecky et al.	312/334.4
D388,986	S *	1/1998	Dittberner et al.	D6/510
D402,143	S *	12/1998	Zapf	D6/510
5,927,836	A *	7/1999	Herr et al.	312/244
5,997,118	A *	12/1999	McBrayer et al.	312/334.44
D442,846	S *	5/2001	Bastian	D8/313
6,595,607	B2 *	7/2003	Morgan	312/294
D498,406	S *	11/2004	Adler	D8/316
D500,659	S	1/2005	Reed et al.		
D529,630	S *	10/2006	Zarb	D25/119
D583,214	S *	12/2008	Braun et al.	D8/313

* cited by examiner

Primary Examiner—Paula A Greene

(74) *Attorney, Agent, or Firm*—Quarles & Brady LLP

(57) **CLAIM**

The ornamental design for a handle, as shown and described.

DESCRIPTION

In a preferred embodiment, the nature of this product is as a handle, for example for grasping when opening a door or a drawer of a cooling unit, such as a compact refrigerator, freezer, beverage cooler, ice maker, combinations thereof and the like.

FIG. 1 is a left, top, front perspective view of a handle showing our new design; the bottom is not part of the claimed design, the handle is drawn broken away to show indeterminate length;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a left side elevational view thereof, the right side elevational view thereof being a mirror image of the left side shown;

FIG. 4 is a top plan view thereof; and,

FIG. 5 is rear elevational view thereof.

The broken line representations in FIGS. 1–3 and 5 are for the purpose of illustration only, and form no part of the claimed design.

1 Claim, 2 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5

