



US00D604148S

(12) **United States Design Patent**
Clarke

(10) **Patent No.:** **US D604,148 S**

(45) **Date of Patent:** **** Nov. 17, 2009**

(54) **TERMINATION DEVICE**

(75) Inventor: **Neil Clarke**, Sheffield (GB)

(73) Assignee: **Gripple Limited** (GB)

(**) Term: **14 Years**

(21) Appl. No.: **29/322,945**

(22) Filed: **Aug. 14, 2008**

(30) **Foreign Application Priority Data**

May 29, 2008 (EM) 000952379-0001

(51) **LOC (9) Cl.** **08-05**

(52) **U.S. Cl.** **D8/356**

(58) **Field of Classification Search** D8/105,
D8/107, 333, 349, 354, 356, 358, 360, 360.1,
D8/367, 373, 382, 383, 394-396, 400; D13/153,
D13/154; 24/18, 115 R, 197, 561, 573.11,
24/581.12, 582.13, 583.1; 52/220.7; 174/66,
174/135, 153 G, 650, 656; 242/400.1, 405.1,
242/405.2, 600, 603; 248/65, 74.1-74.4,
248/201, 214, 215, 229.26; 439/92-108,
439/501, 535; 294/26, 82.19, 82.2; D11/200,
D11/201, 215; 182/5

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,534,881 A * 12/1950 Schroeder 174/84 S
D200,198 S * 2/1965 Vilcins D8/383
3,234,615 A * 2/1966 Martinez 24/573.11
3,733,429 A * 5/1973 Berg et al. 174/161 F
D233,823 S * 12/1974 Langlie et al. D13/132
4,028,489 A * 6/1977 Berg et al. 174/166 R
4,077,611 A * 3/1978 Wilson 256/10
D248,750 S * 8/1978 Langlie et al. D8/364
D248,850 S * 8/1978 Berg et al. D8/364
D253,992 S * 1/1980 Nelson D8/382
D261,102 S * 10/1981 Hoover D8/383
4,370,014 A * 1/1983 Bourdon 439/409
4,599,488 A * 7/1986 Wilson, Jr. 174/158 F
D291,056 S * 7/1987 Hill D8/354
4,680,428 A * 7/1987 Wilson, Jr. 174/158 F
D296,298 S * 6/1988 Hill D8/354
4,866,218 A * 9/1989 Wilson, Jr. 174/158 F

4,883,923 A * 11/1989 Langlie et al. 174/158 F
D346,423 S * 4/1994 Kitagawa D22/134
D374,611 S * 10/1996 Bonoan et al. D8/395
5,637,011 A * 6/1997 Meyerhoefer et al. 439/409
6,152,060 A * 11/2000 Steiner 114/219
6,500,020 B2 * 12/2002 Vo et al. 439/409
D472,129 S * 3/2003 Hill et al. D8/333
D516,952 S * 3/2006 Kingsford et al. D11/200
D520,345 S * 5/2006 Kelleghan D8/356
D538,138 S * 3/2007 Knight D8/356
D563,782 S * 3/2008 Benson et al. D9/436
D566,527 S * 4/2008 Cavarsan D8/356
D569,231 S * 5/2008 Terada et al. D8/354
D577,283 S * 9/2008 Nishida et al. D8/367
D581,869 S * 12/2008 Zenk D13/133

FOREIGN PATENT DOCUMENTS

NZ 405859 * 8/2005

* cited by examiner

Primary Examiner—Robert M Spear

Assistant Examiner—Karen Acker

(74) *Attorney, Agent, or Firm*—Trexler, Bushnell,
Giangiorgi, Blackstone & Marr, Ltd.

(57) **CLAIM**

The ornamental design for a termination device, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of the termination device.

FIG. 2 is a rear perspective view of the termination device.

FIG. 3 is a top view of the termination device.

FIG. 4 is a rear view of the termination device.

FIG. 5 is a left side view of the termination device.

FIG. 6 is a front view of the termination device.

FIG. 7 is a bottom view of the termination device; and,

FIG. 8 is a right side view of the termination device.

The broken lines in the drawings represent unclaimed environmental subject matter.

1 Claim, 4 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

