



US00D604148S

(12) **United States Design Patent**  
**Clarke**

(10) **Patent No.:** **US D604,148 S**  
(45) **Date of Patent:** **\*\* Nov. 17, 2009**

(54) **TERMINATION DEVICE**

(75) Inventor: **Neil Clarke**, Sheffield (GB)

(73) Assignee: **Gripple Limited** (GB)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/322,945**

(22) Filed: **Aug. 14, 2008**

(30) **Foreign Application Priority Data**

May 29, 2008 (EM) ..... 000952379-0001

(51) **LOC (9) Cl.** ..... **08-05**

(52) **U.S. Cl.** ..... **D8/356**

(58) **Field of Classification Search** ..... D8/105,  
D8/107, 333, 349, 354, 356, 358, 360, 360.1,  
D8/367, 373, 382, 383, 394-396, 400; D13/153,  
D13/154; 24/18, 115 R, 197, 561, 573.11,  
24/581.12, 582.13, 583.1; 52/220.7; 174/66,  
174/135, 153 G, 650, 656; 242/400.1, 405.1,  
242/405.2, 600, 603; 248/65, 74.1-74.4,  
248/201, 214, 215, 229.26; 439/92-108,  
439/501, 535; 294/26, 82.19, 82.2; D11/200,  
D11/201, 215; 182/5

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

2,534,881 A \* 12/1950 Schroeder ..... 174/84 S  
D200,198 S \* 2/1965 Vilcins ..... D8/383  
3,234,615 A \* 2/1966 Martinez ..... 24/573.11  
3,733,429 A \* 5/1973 Berg et al. .... 174/161 F  
D233,823 S \* 12/1974 Langlie et al. .... D13/132  
4,028,489 A \* 6/1977 Berg et al. .... 174/166 R  
4,077,611 A \* 3/1978 Wilson ..... 256/10  
D248,750 S \* 8/1978 Langlie et al. .... D8/364  
D248,850 S \* 8/1978 Berg et al. .... D8/364  
D253,992 S \* 1/1980 Nelson ..... D8/382  
D261,102 S \* 10/1981 Hoover ..... D8/383  
4,370,014 A \* 1/1983 Bourdon ..... 439/409  
4,599,488 A \* 7/1986 Wilson, Jr. .... 174/158 F  
D291,056 S \* 7/1987 Hill ..... D8/354  
4,680,428 A \* 7/1987 Wilson, Jr. .... 174/158 F  
D296,298 S \* 6/1988 Hill ..... D8/354  
4,866,218 A \* 9/1989 Wilson, Jr. .... 174/158 F

4,883,923 A \* 11/1989 Langlie et al. .... 174/158 F  
D346,423 S \* 4/1994 Kitagawa ..... D22/134  
D374,611 S \* 10/1996 Bonoan et al. .... D8/395  
5,637,011 A \* 6/1997 Meyerhoefer et al. .... 439/409  
6,152,060 A \* 11/2000 Steiner ..... 114/219  
6,500,020 B2 \* 12/2002 Vo et al. .... 439/409  
D472,129 S \* 3/2003 Hill et al. .... D8/333  
D516,952 S \* 3/2006 Kingsford et al. .... D11/200  
D520,345 S \* 5/2006 Kelleghan ..... D8/356  
D538,138 S \* 3/2007 Knight ..... D8/356  
D563,782 S \* 3/2008 Benson et al. .... D9/436  
D566,527 S \* 4/2008 Cavarsan ..... D8/356  
D569,231 S \* 5/2008 Terada et al. .... D8/354  
D577,283 S \* 9/2008 Nishida et al. .... D8/367  
D581,869 S \* 12/2008 Zenk ..... D13/133

**FOREIGN PATENT DOCUMENTS**

NZ 405859 \* 8/2005

\* cited by examiner

*Primary Examiner*—Robert M Spear

*Assistant Examiner*—Karen Acker

(74) *Attorney, Agent, or Firm*—Trexler, Bushnell,  
Giangiorgi, Blackstone & Marr, Ltd.

(57) **CLAIM**

The ornamental design for a termination device, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of the termination device.

FIG. 2 is a rear perspective view of the termination device.

FIG. 3 is a top view of the termination device.

FIG. 4 is a rear view of the termination device.

FIG. 5 is a left side view of the termination device.

FIG. 6 is a front view of the termination device.

FIG. 7 is a bottom view of the termination device; and,

FIG. 8 is a right side view of the termination device.

The broken lines in the drawings represent unclaimed environmental subject matter.

**1 Claim, 4 Drawing Sheets**




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

