



US00D604192S

(12) **United States Design Patent**  
**Temples et al.**

(10) **Patent No.:** **US D604,192 S**

(45) **Date of Patent:** **\*\* Nov. 17, 2009**

(54) **IDENTIFICATION BRACELET**

(76) Inventors: **Mary Ann Temples**, 10909 Barron Ridge La., Keithville, LA (US) 71047;  
**Teresa S. Goodin**, 1019 Kaliste Saloom Rd., Apt. 1114, Lafayette, LA (US) 70508

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/326,958**

(22) Filed: **Oct. 28, 2008**

(51) **LOC (9) Cl.** ..... **11-01**

(52) **U.S. Cl.** ..... **D11/3**

(58) **Field of Classification Search** ..... D11/1-26;  
63/1.11, 3.1, 3.2, 5.1, 5.2, 7-11; 40/633  
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D3,383 S	2/1869	Codding, Jr.	
2,449,181 A	9/1948	Smiley	
2,582,878 A	1/1952	Metcalf	
4,311,740 A	1/1982	Kay	
4,768,688 A	9/1988	Harrigan	
5,323,554 A	6/1994	MacDonald	
5,343,608 A	9/1994	MacDonald	
5,499,468 A	3/1996	Henry	
5,740,623 A	4/1998	Juhan et al.	
6,388,612 B1	5/2002	Neher	
D505,353 S *	5/2005	Del Valle	D11/3
6,888,502 B2	5/2005	Beigel et al.	
7,198,190 B2	4/2007	Juhan et al.	
D558,198 S	12/2007	Blankenship et al.	
D562,717 S *	2/2008	Gonzales	D11/3
7,374,081 B2	5/2008	Mosher, Jr.	

D576,908 S *	9/2008	Gruenke	D11/3
D591,633 S *	5/2009	Del Valle	D11/3
2005/0066563 A1	3/2005	Juhan et al.	

\* cited by examiner

*Primary Examiner*—Cathron C Brooks  
*Assistant Examiner*—Melanie Levy  
(74) *Attorney, Agent, or Firm*—Jones Walker

(57) **CLAIM**

The ornamental design for an identification bracelet, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective of the identification bracelet of the present invention showing the front side of the pocket component.

FIG. 2 is a perspective view of the identification bracelet of the present invention showing the backside of the pocket component.

FIG. 3 is a top view of the identification bracelet of the present invention.


FIG. 4 is a side view of the identification bracelet of the present invention showing the front side of the pocket component.

FIG. 5 is a side view of the identification bracelet of the present invention showing the backside of the pocket component.

FIG. 6 is a cross-sectional view of the identification bracelet of the present invention taken along lines 6—6 of FIG. 5; and,

FIG. 7 is side view of the identification bracelet of the present invention showing a side view of the pocket component.

**1 Claim, 2 Drawing Sheets**






Fig. 1




Fig. 2




Fig. 3







Fig. 4



**Fig. 5**



**Fig. 6**



**Fig. 7**