



US00D604304S

(12) **United States Design Patent**  
**Pearson et al.**

(10) **Patent No.:** **US D604,304 S**

(45) **Date of Patent:** **\*\* Nov. 17, 2009**

(54) **MOUSEPAD**

(75) Inventors: **Arthur Scott Pearson**, Upland, CA  
(US); **Chih-Ying Chu**, San Gabriel, CA  
(US)

(73) Assignee: **Sweda Company, LLC**, City of  
Industry, CA (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/312,768**

(22) Filed: **Nov. 12, 2008**

(51) **LOC (9) Cl.** ..... **14-99**

(52) **U.S. Cl.** ..... **D14/458**; D3/201

(58) **Field of Classification Search** ..... D14/457–461,  
D14/388, 389; D24/183, 188, 190–192,  
D24/206, 207; D6/406.3–406.6, 601; 248/118,  
248/346.01, 694; 345/156–167; 361/679,  
361/680, 683, 686; D3/201, 205, 226, 227,  
D3/247, 252, 263–266, 301, 303; D19/26

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D109,358	S	*	4/1938	Ridenour	.....	D3/301
2,623,566	A	*	12/1952	Renaker	.....	190/125
D319,729	S	*	9/1991	Kogutt	.....	D3/299
D323,428	S	*	1/1992	Wang	.....	D6/630
D345,859	S	*	4/1994	Gribovsky	.....	D3/247
5,765,795	A	*	6/1998	Alex	.....	248/346.01
D403,915	S	*	1/1999	Temple et al.	.....	D6/631
D406,456	S	*	3/1999	McDermott	.....	D3/232
D424,804	S	*	5/2000	Isacson	.....	D19/26
D431,353	S	*	10/2000	Mellin	.....	D3/203.1
D434,044	S	*	11/2000	Parsons	.....	D14/458
D434,803	S	*	12/2000	Eskandry	.....	D19/26
D452,612	S	*	1/2002	Alexandroff	.....	D3/265
D497,051	S	*	10/2004	Nieves	.....	D3/301
D511,921	S	*	11/2005	Bergh	.....	D6/632
D512,100	S	*	11/2005	Howes et al.	.....	D19/86
D530,078	S	*	10/2006	Siegal	.....	D3/205
D532,601	S	*	11/2006	Siegal	.....	D3/205

D552,348	S	*	10/2007	Martin	.....	D3/289
D555,351	S	*	11/2007	Sween et al.	.....	D3/201
D584,895	S	*	1/2009	Holzner et al.	.....	D3/247
D585,642	S	*	2/2009	Rosenberg	.....	D3/247
D599,400	S	*	9/2009	Lapsker	.....	D19/26

\* cited by examiner

*Primary Examiner*—Cathron C Brooks

*Assistant Examiner*—Deanna Fluegeman

(74) *Attorney, Agent, or Firm*—Clement Cheng

(57) **CLAIM**

The ornamental design for a mousepad, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of the mousepad exterior in the open position.

FIG. 2 is a bottom view of the mousepad in open position.

FIG. 3 is a top view of the mousepad in open position.

FIG. 4 is a left side view of the mousepad in open position.

FIG. 5 is a right side view of the mousepad in open position.

FIG. 6 is a front side view of the mousepad in open position.

FIG. 7 is a rear side view of the mousepad in open position.

FIG. 8 is a perspective view of the mousepad in closed position.

FIG. 9 is an exterior right view of the mousepad in closed position.

FIG. 10 is an exterior left view of the mousepad in closed position.


FIG. 11 is an exterior front view of the mousepad in closed position.


FIG. 12 is an exterior rear view of the mousepad in a closed position, with the zipper pull shown in an alternate position.

FIG. 13 is an exterior top view of the mousepad in closed position; and,

FIG. 14 is an exterior bottom view of the mousepad in closed position.


**1 Claim, 10 Drawing Sheets**







**Fig. 1**

**Fig. 2**







**Fig. 3**



**Fig. 4**




**Fig. 5**




**Fig. 6**



**Fig. 7**




**Fig.8**




**Fig. 9**







**Fig. 10**




**Fig. 11**



**Fig. 12**



**Fig. 13**



**Fig. 14**