

US00D604592S

(12) **United States Design Patent**
Given

(10) **Patent No.:** **US D604,592 S**
(45) **Date of Patent:** **** Nov. 24, 2009**

(54) **CORD HOOK**

(75) Inventor: **Jeffrey T. Given**, St. Paul, MN (US)

(73) Assignee: **Bercom International, LLC**,
Chanhassen, MN (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/318,620**

(22) Filed: **May 23, 2008**

Related U.S. Application Data

(62) Division of application No. 29/297,900, filed on Nov. 21, 2007.

(51) **LOC (9) Cl.** **08-05**

(52) **U.S. Cl.** **D8/367**

(58) **Field of Classification Search** D8/14,
D8/367, 370, 371, 372, 373; 24/68 CD, 115 A,
24/133, 136 R, 265 CD, 265 H, 265 EE,
24/300, 323, 569.1 D; D6/315, 320, 323,
D6/566, 567, 569; 248/227.4, 303; 211/30,
211/31, 34, 35, 106; D7/317, 356, 394; D12/133;
99/287; 215/12.1; 264/120; 229/402
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

252,832 A	1/1882	Bernd
274,935 A	4/1883	Green
3,751,772 A	8/1973	Grandjanny
3,879,812 A	4/1975	Clinch
4,004,770 A	1/1977	Karass
D243,441 S	2/1977	Podd
4,831,692 A	5/1989	Chuan
5,317,788 A	6/1994	Esposito et al. 24/300
5,517,735 A *	5/1996	Tsai 24/599.9
5,546,639 A	8/1996	Lacore et al. 24/265 H
5,630,257 A	5/1997	Brody et al.
5,638,584 A	6/1997	De Anfrasio 24/264 H
5,651,633 A	7/1997	Howe 403/392

5,682,652 A	11/1997	Brody et al. 24/300
5,729,872 A	3/1998	Ginocchio 24/16 R
5,797,167 A	8/1998	Schwab 24/16 R
D409,899 S *	5/1999	Schrader D8/367

(Continued)

FOREIGN PATENT DOCUMENTS

CH 79324 11/1918

OTHER PUBLICATIONS

http://www.bungeecentral.com/fittings/bungee_fittings.html (10 pages).

Primary Examiner—Robert M Spear

Assistant Examiner—Barbara B Lohr

(74) *Attorney, Agent, or Firm*—Westman, Champlin and Kelly, P.A.

(57) **CLAIM**

The ornamental design for a cord hook, as shown and described.

DESCRIPTION

FIG. 1 is an isometric view thereof;

FIG. 2 is a side view thereof, as taken from the left side of FIG. 1;

FIG. 3 is a side view thereof, as taken from the right side of FIG. 1 (the side views are mirror images of one another);

FIG. 4 is a rear view thereof;


FIG. 5 is a front view thereof;

FIG. 6 is a top view thereof; and,

FIG. 7 is a bottom view thereof.

The dashed lines in FIGS. 1–7 depict unclaimed portions of the design. The dashed lines and the structure they depict form no part of the claimed design. The dash-dot-dash lines in FIGS. 1, 2 and 3 define the boundary of the claimed design and form no part of the claimed design.

1 Claim, 4 Drawing Sheets



U.S. PATENT DOCUMENTS							
D427,506	S	*	7/2000	Smith		D8/367	
6,094,784	A		8/2000	Schrader			
D442,069	S		5/2001	Gallagher			
6,308,383	B1	*	10/2001	Schrader		24/265 H	
D449,975	S		11/2001	Smith et al.			
6,851,163	B2		2/2005	Selby		24/598.4	
6,938,306	B2		9/2005	Joubert et al.		24/300	
7,028,967	B2		4/2006	Burwell et al.		248/500	
D525,861	S		8/2006	Mackey et al.		D8/367	
D546,169	S		7/2007	Selby			
D557,591	S		12/2007	Mackey			
D569,683	S	*	5/2008	Lee		D7/394	
D569,714	S	*	5/2008	Stewart et al.		D8/373	
D573,394	S	*	7/2008	Tullney et al.		D7/317	
D573,875	S	*	7/2008	Anderson		D8/367	
D573,921	S	*	7/2008	Guzman et al.		D12/133	
2008/0148956	A1	*	6/2008	Maurer		99/287	
				* cited by examiner			




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7