



US00D604919S

(12) **United States Design Patent**
Meyer

(10) **Patent No.:** **US D604,919 S**

(45) **Date of Patent:** **** Nov. 24, 2009**

(54) **CLEANING IMPLEMENT**

D548,415 S * 8/2007 Libman et al. D32/41

(75) Inventor: **Eugen Gustav Meyer**, Sydney (AU)

* cited by examiner

(73) Assignee: **Hayco Manufacturing Limited**, Hong Kong (HK)

Primary Examiner—Robin V Webster

(74) *Attorney, Agent, or Firm*—Ostrolenk Faber LLP

(**) Term: **14 Years**

(57) **CLAIM**

(21) Appl. No.: **29/296,182**

The ornamental design for “cleaning implement,” as shown and described.

(22) Filed: **Oct. 16, 2007**

DESCRIPTION

(51) **LOC (9) Cl.** **04-01**

FIG. 1 is a perspective view of a cleaning implement showing my new design;

(52) **U.S. Cl.** **D32/41**

FIG. 2 is a side view thereof;

(58) **Field of Classification Search** D32/40–45;
401/25; 15/244.1–244.4, 209.1

FIG. 3 is another side view thereof;

See application file for complete search history.

FIG. 4 is a top view thereof;

FIG. 5 is a bottom view thereof;

(56) **References Cited**

U.S. PATENT DOCUMENTS

D481,500 S * 10/2003 Libman et al. D32/41


D500,184 S * 12/2004 Libman et al. D32/41

D515,262 S * 2/2006 Hay D32/41

FIG. 6 is a rear view thereof; and,

FIG. 7 is a front view thereof.

1 Claim, 7 Drawing Sheets






FIG:1




FIG:2




FIG:3




FIG:4




FIG:5




FIG:6




FIG:7