

US00D604954S

(12) **United States Design Patent**  
**Waksman et al.**

(10) **Patent No.:** **US D604,954 S**  
(45) **Date of Patent:** **\*\* Dec. 1, 2009**

(54) **BRUSH HANDLE**

(75) Inventors: **Gregory Waksman**, Tampa, FL (US);  
**Benjamin Waksman**, Seffner, FL (US);  
**Albert M. Waksman**, Tampa, FL (US);  
**Michael A. Waksman**, Tampa, FL (US)

(73) Assignee: **Corona Brushes, Inc.**, Tampa, FL (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/310,124**

(22) Filed: **Jul. 28, 2008**

**Related U.S. Application Data**

(62) Division of application No. 29/254,130, filed on Feb. 17, 2006, now Pat. No. Des. 575,066.

(51) **LOC (9) Cl.** ..... **04-04**

(52) **U.S. Cl.** ..... **D4/138**

(58) **Field of Classification Search** ..... D4/132,  
D4/135, 138; D8/107; 15/143.1, 145, 168,  
15/175, 190-196, 201-205.2, 159.1, 160;  
16/110.1, 422, 430; 81/177.1, 489  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D2,179 S	2/1865	Ames
D21,071 S	9/1891	Fuchs et al.
D24,044 S	2/1895	Estabrook
753,476 A	3/1904	Dowd
765,446 A	7/1904	Van Gale
D37,564 S	9/1905	Crowell, Jr.
846,148 A	3/1907	Schwartz

(Continued)

*Primary Examiner*—Melanie H Tung  
*Assistant Examiner*—Lavone D Tabor  
(74) *Attorney, Agent, or Firm*—Frijouf, Rust & Pyle, P.A.

(57) **CLAIM**

The ornamental design for a brush handle, as shown and described.

**DESCRIPTION**

FIG. 1 is a top perspective view of my new design for brush handle;

FIG. 2 is a bottom perspective view of FIG. 1;

FIG. 3 is a front view of FIG. 1;

FIG. 4 is a rear view of FIG. 1;

FIG. 5 is a right side view of FIG. 3;

FIG. 6 is a left side view of FIG. 3;

FIG. 7 is a top view of FIG. 3;

FIG. 8 is a bottom view of FIG. 3;

FIG. 9 is a top perspective view of a second embodiment of my new design for brush handle;

FIG. 10 is a bottom perspective view of FIG. 9;

FIG. 11 is a front view of FIG. 9;

FIG. 12 is a rear view of FIG. 9;

FIG. 13 is a right side view of FIG. 11;

FIG. 14 is a left side view of FIG. 11;

FIG. 15 is a top view of FIG. 11;

FIG. 16 is a bottom view of FIG. 11;

FIG. 17 is a top perspective view of a third embodiment of my new design for a brush handle;

FIG. 18 is a bottom perspective view of FIG. 17;

FIG. 19 is a front view of FIG. 17;

FIG. 20 is a rear view of FIG. 17;


FIG. 21 is a right side view of FIG. 19;

FIG. 22 is a left side view of FIG. 19;

FIG. 23 is a top view of FIG. 19; and,

FIG. 24 is a bottom view of FIG. 19.

**1 Claim, 12 Drawing Sheets**



# US D604,954 S

Page 2

---

## U.S. PATENT DOCUMENTS

1,444,236	A	2/1923	Cook	4,590,637	A	5/1986	Marino
1,468,716	A	9/1923	Kersting et al.	D373,682	S	9/1996	Armbruster
1,600,388	A	9/1926	Barker	5,749,117	A	5/1998	Forsline
1,826,165	A	10/1931	Cartwright	5,920,943	A	7/1999	Barker
1,888,930	A	11/1932	McMillan	D441,536	S *	5/2001	Jackson-MacDonald ..... D4/118
2,490,159	A	12/1949	Ricchiuti	D454,432	S	3/2002	Ancona et al.
D167,950	S *	10/1952	Porter ..... D4/135	6,408,474	B1	6/2002	Husted et al.
2,664,582	A	1/1954	Kammann	D464,803	S	10/2002	Woodnorth et al.
2,779,043	A	1/1957	McMillan	D475,204	S	6/2003	Vaes
2,913,751	A	11/1959	Hardman et al.	D475,536	S	6/2003	Vase
D210,929	S *	5/1968	Mulvaney, Jr. .... D4/135	D521,243	S *	5/2006	Olsson et al. .... D4/118
4,494,268	A	1/1985	Chu	D553,941	S *	10/2007	Bruno et al. .... D8/107

\* cited by examiner




FIG. 2




FIG. 1




FIG. 4




FIG. 3




FIG. 6




FIG. 5




FIG. 7




FIG. 8




FIG. 10




FIG. 9




FIG. 12




FIG. 11






FIG. 14




FIG. 13




FIG. 15




FIG. 16




FIG. 18




FIG. 17




FIG. 20




FIG. 19




FIG. 22




FIG. 21




FIG. 23




FIG. 24