

US00D605108S

(12) **United States Design Patent**  
**Brown et al.**

(10) **Patent No.:** **US D605,108 S**  
(45) **Date of Patent:** **\*\* Dec. 1, 2009**

- (54) **TIRE**
  - (75) Inventors: **Stephanie Carol Brown**, Akron, OH (US); **Paul Keyser Blackiston, III**, Ridgeley, WV (US)
  - (73) Assignee: **The Goodyear Tire & Rubber Company**, Akron, OH (US)
  - (\*\*) Term: **14 Years**
  - (21) Appl. No.: **29/298,688**
  - (22) Filed: **Dec. 11, 2007**
  - (51) **LOC (9) Cl.** ..... **12-16**
  - (52) **U.S. Cl.** ..... **D12/588**
  - (58) **Field of Classification Search** ..... D12/568-603;  
152/209.1, 209.8, 209.9, 209.25, 209.12,  
152/209.18
- See application file for complete search history.

- D489,036 S 4/2004 Irimiya ..... D12/553
- D506,722 S 6/2005 Nonaka ..... D12/553
- D555,081 S \* 11/2007 Feider et al. .... D12/588

\* cited by examiner

*Primary Examiner*—Caron Veynar  
*Assistant Examiner*—George D Kirschbaum  
(74) *Attorney, Agent, or Firm*—Richard B. O’Planick

(57) **CLAIM**

The ornamental design for a tire, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a tire showing our new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a right side elevational view thereof; the other side being a mirror image thereof;

FIG. 4 is an enlarged fragmentary front elevational view thereof;

FIG. 5 is a perspective view of an alternative embodiment of a tire showing our new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread and that the opposite side perspective view is a mirror image thereof; and,


FIG. 6 is a front elevational view of an alternate embodiment, it being understood that an enlarged fragmentary view thereof would be substantially identical to that shown in FIG. 4, with the exception of the inclusion of the sidewall in solid lines.

In the drawings, the broken lines defining the sidewall, inner bead and the peripheral boundary between the claimed tire tread and the unclaimed sidewall in FIGS. 1 through 4 depict environmental subject matter that forms no part of the claimed design.

(56) **References Cited**  
U.S. PATENT DOCUMENTS

|              |         |                         |         |
|--------------|---------|-------------------------|---------|
| D370,439 S   | 6/1996  | Feider et al. ....      | D12/141 |
| D379,789 S   | 6/1997  | Schuster et al. ....    | D12/147 |
| D384,623 S   | 10/1997 | Schuster ....           | D12/148 |
| D384,919 S   | 10/1997 | Hermann ....            | D12/146 |
| D385,234 S   | 10/1997 | Young ....              | D12/141 |
| D385,235 S   | 10/1997 | Young ....              | D12/141 |
| D388,369 S   | 12/1997 | Harden, Jr. ....        | D12/146 |
| D388,370 S   | 12/1997 | Young et al. ....       | D12/146 |
| D397,647 S   | 9/1998  | Young ....              | D12/146 |
| D402,943 S   | 12/1998 | Albert et al. ....      | D12/147 |
| D424,986 S * | 5/2000  | Yoshioka ....           | D12/601 |
| D427,952 S   | 7/2000  | Loeffler et al. ....    | D12/147 |
| D432,059 S   | 10/2000 | Feider et al. ....      | D12/147 |
| D445,070 S   | 7/2001  | Schuster ....           | D12/147 |
| D451,860 S   | 12/2001 | Schuster et al. ....    | D12/147 |
| D472,204 S * | 3/2003  | Kemp et al. ....        | D12/588 |
| D481,670 S   | 11/2003 | Harden, Jr. et al. .... | D12/595 |
| D481,992 S   | 11/2003 | Harden, Jr. et al. .... | D12/595 |

**1 Claim, 6 Drawing Sheets**






FIG-1




FIG-2




FIG-3




FIG-4




FIG-5




FIG-6