

US00D605315S

(12) **United States Design Patent**
Kubicek et al.

(10) **Patent No.:** **US D605,315 S**
(45) **Date of Patent:** **** *Dec. 1, 2009**

(54) **CANDLE HOLDER**

(75) Inventors: **Chris A. Kubicek**, East Troy, WI (US);
Paul E. Furner, Racine, WI (US);
Nicholas W. Binetti, Racine, WI (US)

(73) Assignee: **S.C. Johnson & Son, Inc.**, Racine, WI (US)

(*) Notice: This patent is subject to a terminal disclaimer.

(**) Term: **14 Years**

(21) Appl. No.: **29/248,986**

(22) Filed: **Sep. 14, 2006**

(51) **LOC (9) Cl.** **26-01**
(52) **U.S. Cl.** **D26/9**
(58) **Field of Classification Search** D26/5,
D26/6, 7, 9, 10, 11, 12, 13, 14, 15, 16, 17,
D26/18, 19, 20, 21, 22, 23, 114–137; D11/117,
D11/121, 125, 131; 428/7–9, 11; 431/291,
431/311, 320, 298; 362/161–163, 351; D7/523,
D7/509

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,065,364 A 6/1913 Henn

(Continued)

OTHER PUBLICATIONS

U.S. Appl. No. 29/234,510, filed Jul. 19, 2005, Mary Beth Adams et al.

U.S. Appl. No. 29/242,572, filed Nov. 10, 2005, Chris A. Kubicek et al.

U.S. Appl. No. 29/242,441, filed Nov. 10, 2005, Chris A. Kubicek et al.

U.S. Appl. No. 29/234,476, filed Jul. 19, 2005, Mary Beth Adams et al.

U.S. Appl. No. 29/242,571, filed Nov. 10, 2005, Chris A. Kubicek et al.

U.S. Appl. No. 29/242,436, filed Nov. 10, 2005, Mary Beth Adams et al.

Primary Examiner—T. Chase Nelson

Assistant Examiner—Ania K Dworzecka

(57) **CLAIM**

An ornamental design for a candle holder, as shown and described.

DESCRIPTION

In a preferred embodiment the nature of this product is a candle holder that can hold burnable candles and/or associated wick structures, particularly where the candles are designed to project light and dispense actives such as insect repellents and fragrances.

FIG. 1 is a right, top, frontal perspective view of my new design;


FIG. 2 is a front elevational view thereof, as well as a right side elevational view thereof, a left side elevational view thereof, and a rear elevational view thereof;

FIG. 3 is a top plan view thereof; and,

FIG. 4 is a top plan view of the FIG. 3 embodiment but showing an environment where there is surface ornamentation used therewith.

The broken line representations of surface ornamentation in FIG. 4, and of a recessed area on the bottom of the holder in FIGS. 1 and 2, are for purposes of illustration only, and form no part of the claim.

1 Claim, 3 Drawing Sheets



Page 2

U.S. PATENT DOCUMENTS				D469,893	S	2/2003	Shen	
				6,991,452	B1 *	1/2006	Semaan	431/291
D216,142	S *	11/1969	Gribbens	D523,693	S *	6/2006	Bodum	D7/523
3,730,385	A *	5/1973	Rost	D533,952	S	12/2006	Adams et al.	
4,759,699	A	7/1988	Rubarth	D553,909	S *	10/2007	Bodum	D7/523
4,926,298	A	5/1990	Zimmerman	7,318,724	B2 *	1/2008	Kubicek et al.	431/289
5,651,669	A	7/1997	Henry	D576,750	S *	9/2008	Adams et al.	D26/9
D393,910	S	4/1998	Chambers et al.	D576,751	S *	9/2008	Adams et al.	D26/9
6,039,563	A	3/2000	Hardy	2006/0057526	A1	3/2006	Kubicek et al.	
6,062,847	A	5/2000	Pappas	2006/0057528	A1 *	3/2006	Kubicek	431/292
D442,709	S	5/2001	Klett et al.					
6,371,756	B1	4/2002	Toohy					
				* cited by examiner				




FIG. 1




FIG. 2




FIG. 3




FIG. 4