

#### (12) United States Design Patent **US D605,415 S** (10) Patent No.: Zuckerman et al. (45) **Date of Patent:** Dec. 8, 2009 \*\*

- **CROWN SIZER** (54)
- (75)Inventors: Andrew Zuckerman, New York, NY (US); Jim Capuano, Rockaway Park, NY (US); Wai Keung Yau, Kowloon (HK)
- Assignee: Capaco Wai Shing LLC, New York, NY (73)(US)

8/2007 Gouldson 2007/0199963 A1 2008/0054029 A1 3/2008 Ho

\* cited by examiner

Primary Examiner—Stella M Reid Assistant Examiner—Shanda C Hill (74) Attorney, Agent, or Firm-Amster, Rothstein & Ebenstein LLP

(\*\*) Term: 14 Years

Appl. No.: 29/312,354 (21)

Oct. 15, 2008 (22)Filed:

(51)(52)(58)D6/328; 211/1, 13.1, 85.3, 183; 223/85–98 See application file for complete search history.

(56)**References Cited** 

#### U.S. PATENT DOCUMENTS

3,898,754	А	8/1975	Johansson
4,045,899	Α	9/1977	Richardson
4,123,864	Α	11/1978	Batts et al.
D284,427	S	7/1986	Bredeweg
4,881,836	Α	11/1989	Blanchard
6,883,259	B2	4/2005	Johansson
D510,198	S *	10/2005	Willardson D6/328
D528,807	S	9/2006	Mainetti
D536,180	S	2/2007	Wu
D536,181	S	2/2007	Wu
7,240,813	B1	7/2007	Goldman
D552,361	S	10/2007	Goldman
7,287,674	B1	10/2007	Sutton et al.
D554,378	S *	11/2007	Niederer D6/328
7,303,101	B2	12/2007	Goldman
D583,575	S *	12/2008	Goldman et al D6/328
2006/0006204	A1	1/2006	Mainetti
2006/0213938	A1	9/2006	Gouldson
2007/0062984	A1	3/2007	Louw
2007/0084889	A1	4/2007	Fleming
2007/0175932	Al	8/2007	Wu

CLAIM

The ornamental design for a crown sizer, as shown and described.

#### DESCRIPTION

FIG. 1 is a bottom, side perspective view of the first embodiment of a crown sizer showing our new design; FIG. 2 is a top, side perspective view thereof; FIG. **3** is a top plan view thereof; FIG. 4 is a bottom plan thereof; FIG. **5** is a front view of thereof; FIG. 6 is a side view thereof; FIG. 7 is a bottom, side perspective view of the second embodiment of the crown sizer; FIG. 8 is a top, side perspective view thereof; FIG. 9 is a top plan view thereof; FIG. 10 is a bottom plan thereof; FIG. 11 is a front view of thereof;

FIG. **12** is a side view thereof;

FIG. 13 is a bottom, side perspective view of the third embodiment of the crown sizer;

FIG. 14 is a top, side perspective view thereof;

FIG. 15 is a top plan view thereof;

FIG. **16** is a bottom plan thereof;

FIG. **17** is a front view of thereof;

FIG. 18 is a side view thereof;

FIG. 19 is a bottom, side perspective view of the fourth embodiment of the crown sizer;



#### **US D605,415 S**

Page 2

FIG. 20 is a top, side perspective view thereof;

FIG. **21** is a top plan view thereof;

FIG. 22 is a bottom plan thereof;

FIG. 23 is a front view of thereof;

FIG. 24 is a side view thereof;

FIG. 25 is a bottom, side perspective view of the fifth embodiment of the crown sizer;

FIG. 26 is a top, side perspective view thereof; FIG. 27 is a top plan view thereof;

FIG. **35** is a front view of thereof;

FIG. 36 is a side view thereof;

FIG. 37 is a bottom, side perspective view of the seventh embodiment of the crown sizer;

FIG. **38** is a top, side perspective view thereof;

FIG. **39** is a top plan view thereof;

FIG. **40** is a bottom plan thereof;

FIG. **41** is a front view of thereof;

FIG. **42** is a side view thereof;

FIG. 43 is a bottom, side perspective view of the eighth embodiment of the crown sizer;

FIG. 28 is a bottom plan thereof; FIG. **29** is a front view of thereof;

FIG. **30** is a side view thereof;

FIG. 31 is a bottom, side perspective view of the sixth embodiment of the crown sizer;

FIG. 32 is a top, side perspective view thereof; FIG. **33** is a top plan view thereof; FIG. **34** is a bottom plan thereof;

FIG. 44 is a top, side perspective view thereof; FIG. **45** is a top plan view thereof; FIG. **46** is a bottom plan thereof; FIG. 47 is a front view of thereof; and, FIG. 48 is a side view thereof.

1 Claim, 16 Drawing Sheets

#### **U.S. Patent** Dec. 8, 2009 Sheet 1 of 16 US D605,415 S



## FIG. 2







#### U.S. Patent Dec. 8, 2009 Sheet 2 of 16 US D605,415 S

FIG. 4











#### **U.S. Patent** Dec. 8, 2009 Sheet 3 of 16 US D605,415 S



## FIG. 8







#### U.S. Patent Dec. 8, 2009 Sheet 4 of 16 US D605,415 S



# **FIG. 11**







#### U.S. Patent Dec. 8, 2009 Sheet 5 of 16 US D605,415 S











#### U.S. Patent Dec. 8, 2009 Sheet 6 of 16 US D605,415 S

#### **FIG. 16**



## FIG. 17







#### U.S. Patent Dec. 8, 2009 Sheet 7 of 16 US D605,415 S











#### U.S. Patent Dec. 8, 2009 Sheet 8 of 16 US D605,415 S

#### **FIG. 22**



-

## FIG. 23





#### **U.S. Patent** Dec. 8, 2009 Sheet 9 of 16 US D605,415 S



## FIG. 26

FIG. 25







#### U.S. Patent Dec. 8, 2009 Sheet 10 of 16 US D605,415 S

# **FIG. 28**











# U.S. PatentDec. 8, 2009Sheet 11 of 16US D605,415 SFIG. 31



## FIG. 32







#### U.S. Patent Dec. 8, 2009 Sheet 12 of 16 US D605,415 S

## FIG. 34



# FIG. 35









#### **U.S. Patent** US D605,415 S Dec. 8, 2009 **Sheet 13 of 16**



## FIG. 37







#### U.S. Patent Dec. 8, 2009 Sheet 14 of 16 US D605,415 S

## **FIG. 40**



## **FIG. 41**







#### U.S. Patent Dec. 8, 2009 Sheet 15 of 16 US D605,415 S

## **FIG. 43**



#### **FIG. 44**





#### U.S. Patent Dec. 8, 2009 Sheet 16 of 16 US D605,415 S

### **FIG. 46**



## **FIG. 47**







