



US00D605595S

(12) **United States Design Patent**  
**Thomas**

(10) **Patent No.:** **US D605,595 S**  
(45) **Date of Patent:** **\*\* Dec. 8, 2009**

(54) **COAXIAL SPLICE CONNECTOR**

D514,071 S \* 1/2006 Vahey ..... D13/154  
D597,959 S \* 8/2009 Malloy ..... D13/151

(75) Inventor: **Charles Thomas**, Athens, PA (US)

(73) Assignee: **Thomas & Betts International, Inc.**,  
Wilmington, DE (US)

\* cited by examiner

(\*\*) Term: **14 Years**

*Primary Examiner*—Daniel D Bui

*Assistant Examiner*—Thomas J Johannes

(21) Appl. No.: **29/314,575**

(74) *Attorney, Agent, or Firm*—G. Andrew Barger

(22) Filed: **Apr. 10, 2009**

(57) **CLAIM**

(51) **LOC (9) Cl.** ..... **13-03**

The ornamental design for a coaxial splice connector, as shown and described.

(52) **U.S. Cl.** ..... **D13/133**

(58) **Field of Classification Search** ..... D13/133,  
D13/149, 151, 154, 184, 199; 439/63, 188,  
439/246, 252, 306, 476.1, 578, 580, 583,  
439/584, 585, 805; 175/75 C; 385/53, 55,  
385/92, 60, 87, 78

**DESCRIPTION**

See application file for complete search history.

FIG. 1 is a perspective view of the coaxial splice connector of the present invention;

FIG. 2 is a top plan view thereof; and,


FIG. 3 is a side elevational view thereof.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D505,391 S \* 5/2005 Rodrigues et al. .... D13/151

**1 Claim, 2 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3