



US00D605634S

(12) **United States Design Patent**  
**Lewis et al.**

(10) **Patent No.:** **US D605,634 S**  
(45) **Date of Patent:** **\*\* Dec. 8, 2009**

(54) **WIRELESS REMOTE CONTROL DEVICE**

(75) Inventors: **Andrew Lewis**, Lee, NH (US); **Erik L. van Bergen**, Derry, NH (US)

(73) Assignee: **Russound/FMP, Inc.**, Newmarket, NH (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/291,577**

(22) Filed: **Sep. 5, 2007**

(51) **LOC (9) Cl.** ..... **14-03**

(52) **U.S. Cl.** ..... **D14/218**

(58) **Field of Classification Search** ..... D14/218,  
D14/455, 341, 345, 346; D13/168; D21/566;  
D10/104, 106; 345/169; 348/14.05, 114,  
348/211.99, 734; 340/825.24, 825.69; 341/22;  
455/92, 95, 128, 151.1–151.4, 352, 355,  
455/FOR. 121; 700/65

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D337,765 S *	7/1993	Soren et al. ....	D14/138 R
D504,677 S *	5/2005	Kaminski et al. ....	D14/218
D515,041 S *	2/2006	Yun et al. ....	D13/168
D521,459 S *	5/2006	Yun et al. ....	D13/168
D524,298 S *	7/2006	Hedderich et al. ....	D14/218
D534,900 S *	1/2007	Weitgasser et al. ....	D14/218
D538,788 S *	3/2007	Reimann et al. ....	D14/218
D543,196 S *	5/2007	Krzyzanowski et al. ....	D14/218
D546,800 S *	7/2007	Lee .....	D14/138 AA
D546,807 S *	7/2007	Lee .....	D14/138 AA
D555,107 S *	11/2007	Choi et al. ....	D13/168
D559,202 S *	1/2008	Sim et al. ....	D13/168

D559,231 S *	1/2008	Krzyzanowski et al. ....	D14/218
D565,554 S *	4/2008	Fan .....	D14/218
D584,718 S *	1/2009	Moller et al. ....	D14/218
D585,052 S *	1/2009	Mamane et al. ....	D14/218
D587,689 S *	3/2009	Hwang et al. ....	D14/218
2006/0234785 A1 *	10/2006	Lee et al. ....	455/575.1

\* cited by examiner

*Primary Examiner*—T. Chase Nelson

*Assistant Examiner*—John Windmuller

(74) *Attorney, Agent, or Firm*—Weingarten, Schurgin, Gagnebin & Lebovici LLP

(57) **CLAIM**

The ornamental design for a wireless remote control device, as shown.

**DESCRIPTION**

FIG. 1 is a perspective view of the wireless remote control device.

FIG. 2 is a front view of the wireless remote control device;

FIG. 3 is a right side view of the wireless remote control device;

FIG. 4 is a left side view of the wireless remote control device;

FIG. 5 is a bottom view of the wireless remote control device;


FIG. 6 is top view of the wireless remote control device; and,


FIG. 7 is a back view of the wireless remote control device.

The “R” symbol at the bottom of FIGS. 1 and 2 is a registered trademark of Russound.


The broken lines in the figures depict portions of the remote control device that form no part of the claimed design.

**1 Claim, 4 Drawing Sheets**






**FIG. 1**




**FIG. 2**




**FIG. 3**




**FIG. 4**



**FIG. 5**



**FIG. 6**



**FIG. 7**