



US00D605737S

(12) **United States Design Patent**
von Glanstaetten et al.

(10) **Patent No.:** **US D605,737 S**

(45) **Date of Patent:** **** Dec. 8, 2009**

(54) **BRAIDED HOSE**

(75) Inventors: **Tassilo Alber Freiherr von Glanstaetten**, Kippenheim (DE);
Helmar Alber Freiherr von Glanstaetten, Kippenheim (DE)

(73) Assignee: **Neoperl GmbH**, Muellheim (DE)

(**) Term: **14 Years**

(21) Appl. No.: **29/300,573**

(22) Filed: **Apr. 11, 2008**

(30) **Foreign Application Priority Data**

Oct. 12, 2007 (DE) 4 07 05 212

(51) **LOC (9) Cl.** **23-01**

(52) **U.S. Cl.** **D23/266**

(58) **Field of Classification Search** D23/259-269;
D5/47, 53; 285/38-39, 45, 53, 115, 116,
285/318; 138/118-130, 140, 143, 144, 172
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,463,197	A *	8/1969	Winton	138/125
4,153,079	A *	5/1979	Ambrose	138/104
4,159,027	A *	6/1979	Caillet	138/127
4,567,917	A *	2/1986	Millard	138/126
4,668,319	A *	5/1987	Piccoli	156/149
4,754,685	A *	7/1988	Kite et al.	87/9
5,445,191	A *	8/1995	Green et al.	138/126
5,603,357	A	2/1997	Schomaker et al.	
5,638,869	A *	6/1997	Zaborszki et al.	138/109
5,803,129	A *	9/1998	Coronado et al.	138/125
5,899,236	A *	5/1999	Coronado et al.	138/125
6,302,150	B1 *	10/2001	Martucci et al.	138/125
6,302,152	B1 *	10/2001	Mulligan	138/125

6,425,171	B1 *	7/2002	Quaranta	29/414
6,629,547	B1 *	10/2003	Yamaguchi et al.	138/129
7,094,310	B2 *	8/2006	Yamaguchi et al.	156/304.1
2002/0056511	A1 *	5/2002	Mathew et al.	156/244.13
2002/0144742	A1 *	10/2002	Martucci et al.	138/125
2004/0007279	A1 *	1/2004	Yamaguchi et al.	138/125
2005/0056962	A1 *	3/2005	Martucci	264/171.27
2006/0151041	A1 *	7/2006	Koizumi	138/118
2007/0209728	A1 *	9/2007	Mazzo	138/125

* cited by examiner

Primary Examiner—T. Chase Nelson

Assistant Examiner—Eric L Goldman

(74) *Attorney, Agent, or Firm*—Greenblum & Bernstein, P.L.C.

(57) **CLAIM**

We claim the ornamental design for a braided hose, as shown and described.

DESCRIPTION

FIG. 1 is a side view of a portion of the braided hose; and, FIG. 2 is an enlarged view of a portion of FIG. 1.

Any surfaces of the design not shown, including interior surfaces and any surfaces shown in broken lines, form no part of the claimed invention.

The braided hose utilizes two types strands. One type of strand is a metallic or metallized strand, e.g., a single metal band, encapsulated or wrapped in plastic that is transparent or translucent. Another type of strand is made of metallicly colored plastic (i.e., plastic colored by colored pigments which impart a metallic appearance) and includes, e.g., three, metallicly colored sub-structures which can be, e.g., metallicly colored mono-filaments. This latter strand type can also be homogenous or have a different number of sub-structures. Both types of strands can have the same width and thickness.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2