



US00D605782S

(12) **United States Design Patent**  
**Ross**

(10) **Patent No.:** **US D605,782 S**  
(45) **Date of Patent:** **\*\* Dec. 8, 2009**

(54) **AIRCRAFT SHELTER**

(76) Inventor: **James M. Ross**, 8511 E. Hillsdale,  
Orange, CA (US) 92869

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/289,113**

(22) Filed: **Jul. 7, 2007**

(51) **LOC (9) Cl.** ..... **25-02**

(52) **U.S. Cl.** ..... **D25/56**

(58) **Field of Classification Search** ..... D25/56;  
D12/401; 135/901, 87; 52/3, 4, 5, 79.6,  
52/23, 66; 160/19, 29, 38, 39

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D211,519 S	6/1968	Caminker	
D274,157 S *	6/1984	Freeland	D25/56
D274,653 S	7/1984	Peiren	
D409,763 S *	5/1999	Rogers et al.	D25/56
6,360,492 B1 *	3/2002	Ross	52/66
6,505,638 B1 *	1/2003	Powell et al.	135/124

\* cited by examiner

*Primary Examiner*—Doris Clark

(74) *Attorney, Agent, or Firm*—QuickPatents, Inc.; Kevin  
Prince

(57) **CLAIM**

I claim the ornamental design for an aircraft shelter, as shown  
and described.

**DESCRIPTION**

FIG. 1 is a perspective view of an aircraft shelter, illustrated  
with a canopy in a lowered position, showing my new design;

FIG. 2 is a right-side elevational view thereof, illustrated with  
the canopy in the lowered position, the left-side elevational  
view being a mirror image thereof;

FIG. 3 is a right-side elevational view thereof, illustrated with  
the canopy in a raised position, the left-side elevational view  
being a mirror image thereof;

FIG. 4 is a front elevational view thereof, illustrated with the  
canopy in the lowered position;

FIG. 5 is a rear elevational view thereof, illustrated with the  
canopy in the lowered position;


FIG. 6 is a bottom plan view thereof, illustrated with the  
canopy in the lowered position;

FIG. 7 is a top plan view thereof, illustrated with the canopy  
in the lowered position; and,

FIG. 8 is a top plan view thereof, illustrated with the canopy  
in the raised position.

The description of my design is an open-sided, roofed struc-  
ture for the protection of aircraft fuselages, or other items  
with wide protrusions.

**1 Claim, 3 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8